

Dual Lock™ Fasteners

Advanced closure alternative to zippers, screws, snaps, bolts and more. Better than conventional closure methods because they offer greater design flexibility, faster product assembly, smoother and cleaner exterior surfaces and improved product performance in many applications.

- Constructed with a type 400 stem pattern to form a secure fastening attachment.
- Hundreds of closures with great holding power.

Dual Lock™ Fasteners

- Fasteners engage in any orientation eliminating concerns about misalignment, premature or incomplete engagement.
- Fastens with an audible snap to assure secure closure.

Dual Lock™ Fasteners Mini Packs

- Same great Dual-Lock™ Fastener in a convenient dispenser pack!
- Great for small volume requirements.



Dual Lock™ Fasteners

Stock Number	Roll Size	Stems Per Inch ²	3M Part Number	Roll Color	Rolls Per Case
DK3M111	1" x 150'	170	3542	Black	2
DK3M112	1" x 150'	170	3562	Clear	2
DK3M113	2" x 150'	170	3542	Black	1
DK3M114	2" x 150'	170	3562	Clear	1
DK3M115	1" x 150'	250	3540	Black	2
DK3M117	2" x 150'	250	3540	Black	1
DK3M119	1" x 150'	400	3551	Black	2
DK3M120	2" x 150'	400	3551	Black	1

Dual Lock™ Fasteners Mini Packs

Stock Number	Roll Size	Stems Per Inch ²	3M Part Number	Roll Color	Rolls Per Case
DK3M101	1" x 4.9 yds.	170	MP3551	Black	5
DK3M110	1" x 4.9 yds.	250	MP3560	Clear	5
DK3M101PK	1" x 4.9 yds.	170	MP3551	Black	1
DK3M110PK	1" x 4.9 yds.	250	MP3560	Clear	1

Sisal Tying Twine



Natural fibers grip firm.

- Great knot strength.
- Recommended for industrial applications.
- Naturally biodegradable.
- Great for balling and bagging nursery stock.

Sisal Tying Twine

Stock Number	Tensile Strength	Feet Per Case
TWS300	190 lbs.	3,000'
TWS146	360 lbs.	1,460'

Polypropylene Tying Twine



Soft Polypropylene Tying Twine is easy to use.

- Knots easily and tightly.
- Mildew, rot and moisture resistant.
- Twine dispenses directly from carton.

Polypropylene Tying Twine

Stock Number	Tensile Strength	Feet Per Case
TWT1050	110 lbs.	10,500'
TWT850	145 lbs.	8,500'
TWT550	210 lbs.	5,500'

Rubber Bands

Use to bundle, seal and attach.

- Economical bands are reusable.
- Superior stretch makes makes banding a wide range of items convenient.
- Packaged in one pound plastic bags.

Rubber Bands

Stock Number	Size (L x W)	Band Number	Approx. Qty. Per Bag	Bags Per Case
BAN416	3½" x ¼"	#19	1,250	10
BAN415	3" x ⅛"	#32	700	10
BAN417	3½" x ⅛"	#64	320	10



Velcro® Tape

Attach and reattach products quickly and easily with this self-adhesive hook and loop fastening system.

Combo Packs

- All include both hook and loop.
- Industrial strips are waterproof for indoor/outdoor use.

Individual Strips

- Self-adhesive hook and loop fastening system.
- Hook and loop strips sold separately.


Individual Dots

- Hook and loop dots sold separately.



Combo Pack - Strips

Combo Pack - Dots



Individual Strips

Individual Dots

Velcro® - Combo Packs

Stock Number	Description	Color	Size
VEL101	Strips	Black	¾" x 15'
VEL102	Strips	White	¾" x 15'
VEL103	Industrial Strips	Black	2" x 15'
VEL104	Industrial Strips	White	2" x 15'
VEL105	Dots	Beige	¾" - 200 ct.

Velcro® - Individual Strips

Stock Number	Description	Color	Size
VEL107 NEW!	Hook	Black	¾" x 75'
VEL108 NEW!	Loop	Black	¾" x 75'
VEL109 NEW!	Hook	White	¾" x 75'
VEL110 NEW!	Loop	White	¾" x 75'
VEL111	Hook	Black	¾" x 75'
VEL112	Loop	Black	¾" x 75'
VEL113	Hook	White	¾" x 75'
VEL114	Loop	White	¾" x 75'

Stock Number	Description	Color	Size
VEL133 NEW!	Hook	Black	1" x 75'
VEL134 NEW!	Loop	Black	1" x 75'
VEL135 NEW!	Hook	White	1" x 75'
VEL136 NEW!	Loop	White	1" x 75'
VEL137 NEW!	Hook	Black	2" x 75'
VEL138 NEW!	Loop	Black	2" x 75'
VEL139 NEW!	Hook	White	2" x 75'
VEL140 NEW!	Loop	White	2" x 75'

Velcro® - Individual Dots

Stock Number	Description	Color	Dot Size	Quantity Per Case
VEL121	Hook	Black	½"	1,440
VEL122	Loop	Black	½"	1,440
VEL123	Hook	White	½"	1,440
VEL124	Loop	White	½"	1,440
VEL125	Hook	Black	¾"	1,028
VEL126	Loop	Black	¾"	1,028
VEL141 NEW!	Hook	White	¾"	1,028
VEL142 NEW!	Loop	White	¾"	1,028

Stock Number	Description	Color	Dot Size	Quantity Per Case
VEL127	Hook	Black	⅜"	900
VEL128	Loop	Black	⅜"	900
VEL143 NEW!	Hook	White	⅜"	900
VEL144 NEW!	Loop	White	⅜"	900
VEL145 NEW!	Hook	Black	1⅜"	600
VEL146 NEW!	Loop	Black	1⅜"	600
VEL147 NEW!	Hook	White	1⅜"	600
VEL148 NEW!	Loop	White	1⅜"	600

Velcro® Self-Grip Straps


The fastest, easiest way to bundle wires and cords.

- Hook on one side, loop on the other.
- Straps securely attach to themselves.

Velcro® Self-Grip Straps

Stock Number	Description	Color	Roll Size	Rolls Per Case
VEL131	Self-Grip Straps	Black	¾" x 12'	4
VEL132	Self-Grip Straps	Black	¾" x 75'	1





Glue Dots® Dispenser Box

Multi-purpose, adhesive “dots” in a convenient dispenser pack available in removable to permanent styles.

Low Profile Glue Dots®

- Ideal for flat and smooth surfaces.
- Dot thickness $\frac{1}{64}$ ".

Medium Profile Glue Dots®

- Suited for uneven surfaces.
- Dot thickness $\frac{1}{32}$ ".

High Profile Glue Dots®

- For use with irregular and rough surfaces.
- Dot thickness $\frac{1}{8}$ ".



Low Profile Glue Dots®

Stock Number	Tack Strength	Tack Performance	Dot Diameter	Dots Per Case
GD101	Low	Removable - Temporary	$\frac{1}{8}$ "	4,000
GD102	Medium	Removable - Secure	$\frac{1}{8}$ "	4,000
GD103	High	More Permanent	$\frac{1}{8}$ "	4,000
GD104	Super High	Most Permanent	$\frac{1}{8}$ "	4,000

Medium Profile Glue Dots®

Stock Number	Tack Strength	Tack Performance	Dot Diameter	Dots Per Case
GD105	High	More Permanent	$\frac{1}{8}$ "	2,000

High Profile Glue Dots®

Stock Number	Tack Strength	Tack Performance	Dot Diameter	Dots Per Case
GD106	High	More Permanent	$\frac{1}{8}$ "	2,500



Dot Shot® Pro Dispenser & Rolls

Dot Shot® Pro Dispenser Gun

- Convenient roll-on dispenser makes applying dots fast and easy.
- Ergonomic design is triggerless and safe for repetitive use.
- Releases a controlled amount of adhesive without waste.

Dot Shot® Pro Glue Dots® (Low Profile)

- Several adhesive strengths are available for any application ranging from removable to permanent.

Dot Shot® Pro Glue Stitch (Low Profile)

- Tightly spaced line of dots create a continuous line of glue and is ideal for applications requiring a secure fit.

Dot Shot® Pro Dispenser Gun

Stock Number	Description	Quantity Per Case
GDDISP	Dot Shot® Pro Dispenser	1

Dot Shot® Pro Glue Dots® (Low Profile)

Stock Number	Tack Strength	Tack Performance	Dot Diameter	Dots Per Roll
GD101R	Low	Removable - Temporary	$\frac{1}{8}$ "	1,500
GD102R	Medium	Removable - Secure	$\frac{1}{8}$ "	1,500
GD103R	High	More Permanent	$\frac{1}{8}$ "	1,500
GD104R	Super High	Most Permanent	$\frac{1}{8}$ "	1,500

Dot Shot® Pro Glue Stitch (Low Profile)

Stock Number	Tack Strength	Tack Performance	Dot Diameter	Dots Per Roll
GD103SR	High	More Permanent	$\frac{1}{8}$ "	3,000

3M Jet Melt™ Glue Sticks

3762LM Low-Melt Glue Sticks

- Excellent "hot tack" when dispensed at low-melt temperature (265° F.).
- Can bond expanded polystyrene, corrugated packaging and displays.
- Quick 25 second bonding range.
- FDA listed.

3792LM Low-Melt Glue Sticks

- 40 second bonding when dispensed at low-melt (265° F.) temperature.
- Bonds wood, corrugated, polyolefins and other light-weight materials.
- Quick 25 second bonding range.
- FDA listed.

3762 Hot-Melt Glue Sticks

- Excellent "hot-tack" properties for closing cartons and bonding corrugated.
- Also used to put up signs and make P.O.P. displays.
- Quick 25 second bonding range.
- FDA listed.

3792 Hot-Melt Glue Sticks

- Good adhesion to both wood and plastics.
- Impact resistant at low and high temperatures.
- 50 second bonding range allows extra time to put parts together.
- FDA listed.



Jet Melt™ Glue Sticks

Stock Number	3M Part Number	Type	Glue Stick Size	Color	Quantity Per Case
GL3M3762Q	3762LM	Low-Melt	3/8" x 8"	Light Tan	165
GL3M3792Q	3792LM	Low-Melt	3/8" x 8"	Clear	165
GL3M3762	3762	Hot-Melt	3/8" x 8"	Medium Tan	165
GL3M3792	3792	Hot-Melt	3/8" x 8"	Clear	165

3M Poly Gun™ Glue Applicators

Poly Gun™ LT

- Designed to use with Low-Melt 3M Jet Melt™ glue sticks.
- Heats up to 265° F. and delivers up to 2.6 pounds of adhesive per hour.
- Features Quadrack converter and palm trigger.

Poly Gun™ TC

- Heats up to 385° F. and delivers up to 3.5 pounds of adhesive per hour.
- Features Quadrack converter and palm trigger.

Poly Gun™ Glue Applicators

Stock Number	Description	Use with Glue Stick #	Watts	Volts
GL3MLTQ	Poly Gun™ LT	3762LM, 3792LM	150	120
GL3MTCQ	Poly Gun™ TC	3762, 3792	150	120



Industrial Glue Sticks

Good general purpose characteristics. Bonds a broad range of materials.

Industrial Glue Sticks

Stock Number	Type	Glue Stick Size	Color	Quantity Per Case
GL4005	Hot-Melt	1/2" x 15"	Light Amber	50
GL4040	Hot-Melt	3/8" x 15"	Light Amber	275



Industrial Glue Applicators

AS-200 Industrial Glue Applicator

- Heats up to 380° F. with 200 watts of heating power.
- Delivers up to 7 pounds of adhesive per hour.

AS-80 Industrial Glue Applicator

- Heats up to 380° F. with 80 watts of heating power.
- Delivers up to 2.5 pounds of adhesive per hour.

Industrial Glue Applicators

Stock Number	Description	Use with Glue Stick #	Watts	Volts
GL4200	AS-200	GL4005	200	120
GL4080	AS-80	GL4040	80	120



3M Adhesive Remover Citrus Base 6041

Citrus based, solvent-free aerosol Adhesive Remover leaves no residue on surfaces.

- Removes marker and crayon from whiteboards, walls, lockers, desks and glass.
- Lifts tape residue left from masking, foam and duct tape.
- Clean, fresh citrus scent.
- Not recommended for use on plastic (may craze).
- Emulsifies when flushed with water.
- Restricted, not for retail/institutional sale or use in California.



3M Adhesive Remover Citrus Base 6041

Stock Number	Size	Cans Per Case
ADH3M6041	24 oz.	6

3M Polystyrene Foam Insulation 78 Adhesive

A high solids, high coverage aerosol adhesive designed for bonding most types of insulation such as EPS (expanded polystyrene), XEPS (extruded polystyrene) and fiberglass insulation.

- Fast drying formula helps speed assembly.
- Good heat and moisture resistance to help protect bonds.
- Bonds material to itself as well as concrete, wood, metal, fabrics and most plastics.
- Ideal surface temperatures for bonding are 60-80° F.



3M Polystyrene Foam Insulation 78 Adhesive

Stock Number	Size	Cans Per Case
ADH3M78	24 oz.	12

3M Pressure Sensitive Adhesive 72 Blue

Permits wide area bonds to be made hours after spraying and repositioning of bonds.

- Provides strong bonds for adhering plastic, foam padding, carpet backing, polyethylene, polypropylene to fiberglass plastics and particle board.
- Repositionable with aggressive tack.



3M Pressure Sensitive Adhesive 72 Blue

Stock Number	Size	Cans Per Case
ADH3M72	24 oz.	12

3M Repositionable 75 Adhesive

Bonds paper, cardboard, acetate, foil, fabrics and plastic sheeting.

- Will not bleed through, stain or wrinkle most materials.
- Adheres in seconds, yet allows material repositioning.
- Excellent for production line work where parts are held in place temporarily for final assembly.
- Holds patches during stitching or patterns while cutting.
- Bonds many light-weight materials.



3M Repositionable 75 Adhesive

Stock Number	Size	Cans Per Case
ADH3M75	16 oz.	12

3M Rubber & Vinyl 80 Adhesive

The first true neoprene contact adhesive. Bonds most supported vinyl and leather.

- Very strong - 400 psi shear strength.
- Position parts 30 minutes after applying adhesive.
- Fast drying and fast bonding - a durable, high strength aerosol adhesive.
- Plasticizer with temperature resistance to 200° F.
- Adheres stainless steel panels, stiffeners, metal kick plates and most plastics, laminates and wood products.



3M Rubber & Vinyl 80 Adhesive

Stock Number	Size	Cans Per Case
ADH3M80	24 oz.	6

3M Foam Fast 74 Adhesive

Adhesive bonds flexible urethane or latex foam together or to wood, metal and plastic.

- Bonds on contact yet has a 15 minute bonding range.
- Aerosol with controlled variable 1" to 3" misting and spray.
- Gives fast tack with foam tearing strength and a soft, non-dimpling glue line.
- Great for general upholstery foam bonding.



3M Foam Fast 74 Adhesive

Stock Number	Size	Cans Per Case
ADH3M74	24 oz.	12

3M Multi-Purpose 27 Spray Adhesive

Extremely versatile adhesive is ideal for bonding paper, cardboard, fabrics, soft foams and many other lightweight materials.

- Economical, industrial grade, aerosol adhesive with mist spray pattern.
- Provides fast tack and soft bond lines.
- Meets CARB/OTC VOC requirements.
- Approximately 78 square feet of coverage per can.



3M Multi-Purpose 27 Spray Adhesive

Stock Number	Size	Cans Per Case
ADH3M27	20 oz.	12

3M Shipping Mate™ Case Sealing Adhesive

Has strong carton-tearing strength in just five minutes.

- Fast holding strength.
- Precise spray control.
- Aerosol adhesive spreads smoothly.
- Cures to an extremely strong bond.



3M Shipping Mate™ Case Sealing Adhesive

Stock Number	Size	Cans Per Case
ADH3MCS	24 oz.	12

3M Shipping Mate™ Palletizing Adhesive

Holds bags securely in place on pallets during storage and shipment.

- Great for palletizing plastic shipping bags.
- Bags separate easily without tearing when unstacking.
- Clear color aerosol adhesive.



3M Shipping Mate™ Palletizing Adhesive

Stock Number	Size	Cans Per Case
ADH3MPA	24 oz.	12

3M Super 77 Adhesive

Versatile - features a secure, long-lasting bond on most light-weight materials.

- High coverage aerosol with fast, aggressive tack and long bonding range.
- Excellent for jobs in display and furniture.
- Bonds thin decorative films, foils and fabrics.
- Bonds gaskets in water pumps and attaches insulation to sheet metal.
- Attaches wiring diagrams.



3M Super 77 Adhesive

Stock Number	Size	Cans Per Case
ADH3M77	24 oz.	12

3M High Tack 76 Adhesive

Quick tacking adhesive - strongest one surface aerosol adhesive available.

- Bonds many hard-to-hold materials such as polyethylene and polypropylene.
- Bonds SBR rubber, fabric, felt, cardboard, cork, foil and plastic to themselves and to wood, metal and glass.
- Features high temperature resistance.
- Non-misting aerosol allows for precise spray control will not cavitate EPS foam.



3M High Tack 76 Adhesive

Stock Number	Size	Cans Per Case
ADH3M76	24 oz.	12

3M High Strength 90 Adhesive

Great initial strength that builds up to 230 psi shear strength.

- Excellent for decorative laminates.
- Dries in 1 to 2 minutes.
- Great adhesive for particle board.
- Aerosol features variable spray width and precise spray control.
- Bonds laminates to tables, cabinets and shelving, kickplates to desks, and plastic sign lettering to wood.



3M High Strength 90 Adhesive

Stock Number	Size	Cans Per Case
ADH3M90	24 oz.	12