



Intertape Non-Reinforced Paper Gum Tape

Secure closure for sealing light-weight cartons.

Standard Grade

- Generous 600' roll length means fewer roll changes.
- Water activated vegetable adhesive.

Heavy-Duty

- Performs well on over-stuffed cartons.
- Works well on recycled fibreboard.

Light-Duty "Gum Side Out"

- Use to seal inner packing and light-weight cartons.

IPG - Standard Grade Paper Gum Tape


Stock Number	W x L	Color	Paper Weight	Rolls Per Case	Cases Per Skid
T2600	2" x 600'	Kraft	60#	15	60
T2600W	2" x 600'	White	60#	15	60
T919160	2½" x 600'	Kraft	60#	12	60
T919160W	2½" x 600'	White	60#	12	60
T909160	3" x 600'	Kraft	60#	10	60
T909160W	3" x 600'	White	60#	10	60

IPG - Heavy-Duty Paper Gum Tape

Stock Number	W x L	Color	Paper Weight	Rolls Per Case	Cases Per Skid
T2900	2" x 375'	Kraft	90#	15	60
T909190	3" x 375'	Kraft	90#	10	60

IPG - Light-Duty "Gum Side Out" Paper Gum Tape

Stock Number	W x L	Color	Paper Weight	Rolls Per Case	Cases Per Skid
T1000C	1" x 500'	Kraft	40#	30	60
T1000CW	1" x 500'	White	40#	30	60
T1500C	1½" x 500'	Kraft	40#	20	60



IPG 530 - Flatback Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T946530	1½" x 60 yds.	36 lbs./in. width	7.0	24
T947530	2" x 60 yds.	36 lbs./in. width	7.0	24
T948530	3" x 60 yds.	36 lbs./in. width	7.0	16

Intertape Flatback Tape

Pressure sensitive paper tape.

- Stronger than masking tape yet tears with ease.
- No water or dispensers needed. Just apply and tear by hand.
- Seals securely under a wide range of temperature and humidity conditions.
- Write directly on tape.

IPG 534 - Flatback Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T945534	1" x 60 yds.	39 lbs./in. width	7.0	36
T946534	1½" x 60 yds.	39 lbs./in. width	7.0	24
T947534	2" x 60 yds.	39 lbs./in. width	7.0	24
T948534	3" x 60 yds.	39 lbs./in. width	7.0	16
T949534	4" x 60 yds.	39 lbs./in. width	7.0	12

IPG 538 - Flatback Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T945538	1" x 60 yds.	51 lbs./in. width	8.4	36
T947538	2" x 60 yds.	51 lbs./in. width	8.4	24
T948538	3" x 120 yds.	51 lbs./in. width	8.4	16

Intertape Reinforced Paper Gum Tape

Fiberglass reinforced tape is known for its excellent performance in high speed, overfill and underfill applications.

- Consistent adhesive, coating and lamination.
- Paper moisturizer reduces curl, increases tape stretch and makes tape more flexible.
- Larger 1 5/8" diameter cores assure a tighter wind and full roll utilization (no curl).
- Dispenses on all water activated paper gum tape machines.



IPG - Economy Grade - For sealing 20 lb boxes.

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T907KR609	70mm x 450'	Kraft	10	60
T907KR604W	70mm x 450'	White	10	60

IPG - Standard Grade - For sealing 25 lb boxes.

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T907KR6606	70mm x 450'	Kraft	10	60
T907KR6625W	70mm x 450'	White	10	60
T907KR6613	70mm x 600'	Kraft	10	60

IPG - Heavy-Duty Grade - For sealing 50 lb boxes.

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T908KR662	2 1/2" x 450'	Kraft	12	60
T906KR653	3" x 375'	Kraft	8	75
T906KR675W	3" x 375'	White	8	75
T907KR663	3" x 450'	Kraft	10	60
T907KR676W	3" x 450'	White	10	60
T907KR696	3" x 500'	Kraft	12	60

IPG - Premium Grade - For sealing 60 lb boxes.

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T906KR655	3" x 375'	Kraft	8	75
T907KR666	3" x 450'	Kraft	10	60
T907KR636W	3" x 450'	White	10	60

Marsh® Paper Gum Tape Machines

- Guillotine style stainless steel cutter provides fast, dual edge tape cutting.
- Built-in, all metal adjustable tape guides maintain smooth tape flow.
- Wide-track urethane upper/lower feed rollers for quiet and accurate tape feed.
- Extra large 70 ounce water bottle is the largest in the industry.
- Backed by world class 18 month Marsh® warranty.

TD2100 Electric

- Programmable, sealed tactile numeric keypad with digital LCD display allows 5" to 99" tape lengths to be dispensed.
- Heavy-duty, Apex design, guillotine style, stainless steel cutter provides fast, dual edge tape cutting.
- Hot plate heater is safely located under the brush tank and heats 100% of the water for a more secure tape seal.



TD2100 Manual

- Portable and sturdy for easy use and maintenance!
- Dispenses tape from 5" to 36" lengths in a single pull.



Marsh® TD2100 Electric Paper Gum Tape Machine

Stock Number	Tape Widths	Description
MARSHELEC	1" - 3"	Electric with Heater
MARTDBRUSH		Replacement Brush
MARTDBOTTLE		Replacement Water Bottle

Marsh® TD2100 Manual Paper Gum Tape Machine

Stock Number	Tape Widths	Description
MARSHTDM	1" - 3"	Manual
MARSHTDH	1" - 3"	Manual with Heater
MARTDBRUSH		Replacement Brush
MARTDBOTTLE		Replacement Water Bottle

Better Pack® Paper Gum Tape Machines



24 month manufacturer warranty

Better Pack® 555eS

Easy to use electronic control panel.

- Color coded user-friendly keypad.
- Fits 1½" - 3" tape widths and dispenses tape up to 90" long.
- UL approved machine features large 1 liter water bottle, adjustable top heater for quicker applications and superior 3 brush wetting system.

Better Pack® 555eS

Stock Number	Tape Widths	Description
BET555E	1½" - 3"	Electronic with Heater
BET555BRUSH		Replacement Brush
BET555BOTTLE		Replacement Water Bottle



12 month manufacturer warranty

Better Pack® 500

Fast, 45 inches per second tape output.

- Smooth-touch tactile keypad with 14 pre-set lengths.
- Fits 1½" - 3" tape widths and dispenses tape up to 120" long.
- Features adjustable top heater for quicker applications and 3 water brushes to provide uniform activation of tape's adhesive.

Better Pack® 500 **NEW!**

Stock Number	Tape Widths	Description
BET500	1½" - 3"	Electronic with Heater
BET500BRUSH		Replacement Brush
BET333BOTTLE		Replacement Water Bottle



12 month manufacturer warranty


Better Pack® 333 Plus

The most popular manual lever paper gum tape dispenser!

- Dispenses tape up to 30" long in a single pull.
- Features a heavy-duty steel frame, few moving parts and an easy to clean dispenser.
- #333H - Heated water bottle quickly activates glue.

Better Pack® 333 Plus

Stock Number	Tape Widths	Description
BET333	1½" - 3"	Manual
BET333H	1½" - 3"	Manual with Heater
BET333BRUSH		Replacement Brush
BET333BOTTLE		Replacement Water Bottle



12 month manufacturer warranty

Better Pack® Packer® 3s

Simple, pull-and-tear paper gum tape dispenser.

- Ideal for low volume use with non-reinforced paper gum tape.
- Not recommended for reinforced tape.
- Fits 1" - 3" tape widths.
- Unique "subway feed" for uniform tension to aid in tape moistening.

Better Pack® Packer® 3s **NEW!**

Stock Number	Tape Widths	Description
BETP3S	1" - 3"	Manual
BETP3SBRUSH		Replacement Brush
BETP3SRESV		Replacement Reservoir

Central™ Reinforced Gum Tape

Designed for fast, permanent adhesion and superior strength.

- Extra strong fiberglass yarns are strategically bonded between sheets of paper to provide an extra margin of strength.
- Features patented starch based adhesive that is not affected by extreme hot or cold temperatures.
- 100% bio-degradable, recyclable and re-pulpable.

Central™ 233 & 235 Reinforced Gum Tape

- Ultra light-duty for sealing up to 20 pound boxes.

Central™ 240 & 250 Reinforced Gum Tape

- Light-duty for sealing 20-40 pound boxes.

Central™ 260 Reinforced Gum Tape

- Heavy-duty for sealing 40-60 pound boxes.

Central™ 270 Reinforced Gum Tape

- Extra heavy-duty for sealing 40-60 pound boxes.



Central™ 233 Reinforced Gum Tape

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T906233	70mm x 375'	Kraft	8	75
T907233	70mm x 450'	Kraft	10	60

Central™ 235 Reinforced Gum Tape

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T906235	72mm x 375'	Kraft	8	75
T906235W	72mm x 375'	White	8	75
T907235	72mm x 450'	Kraft	10	60
T907235W	72mm x 450'	White	10	60

Central™ 240 Reinforced Gum Tape

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T906240	72mm x 375'	Kraft	8	75
T906240W	72mm x 375'	White	8	75
T907240	72mm x 450'	Kraft	10	60
T907240W	72mm x 450'	White	10	60

Central™ 250 Reinforced Gum Tape

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T908250	2½" x 360'	Kraft	10	75
T908450	2½" x 450'	Kraft	12	60
T906250	3" x 375'	Kraft	8	75
T906250W	3" x 375'	White	8	75
T907250	3" x 450'	Kraft	10	60
T907250W	3" x 450'	White	10	60

Central™ 260 Reinforced Gum Tape

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T908260	2½" x 360'	Kraft	10	75
T908460	2½" x 450'	Kraft	12	60
T906260	3" x 375'	Kraft	8	75
T906260W	3" x 375'	White	8	75
T907260	3" x 450'	Kraft	10	60
T907260W	3" x 450'	White	10	60

Central™ 270 Reinforced Gum Tape

Stock Number	W x L	Color	Rolls Per Case	Cases Per Skid
T906270	3" x 375'	Kraft	8	75
T906270W	3" x 375'	White	8	75
T907270	3" x 450'	Kraft	10	60
T907270W	3" x 450'	White	10	6

Central™ Pre-Printed Reinforced Gum Tape

Pre-printed tape brings attention to security and shipping instructions.

- Tamper proof "Red Alert" tape cannot be removed without detection.
- Oversized red under-layer prevents undetected resealing with 3" tape.



T907260P



T907260F

Central™ Pre-Printed Reinforced Gum Tape

Stock Number	W x L	Description	Grade	Rolls Per Case
T907260P	3" x 450'	"Warning-Pilfer Proof"	#260	10
T907260F	3" x 450'	"Fragile-Handle With Care"	#260	10
T907270RA	3¾" x 450'	"Red Alert"	#270	10





3M Pouch Tape Rolls

Pressure sensitive tape with a non-tacky, see through rectangular window.

- Use to attach and protect shipping papers.
- Excellent holding power.
- Clear acrylic adhesive will not yellow.
- Moisture and abrasion resistant.
- Quality 3M adhesive.
- Weather resistant.
- Clean cutting. No adhesive build up on blades.
- "Documents Enclosed" print.

3M Pouch Tape Rolls

Stock Number	Pouch W x L	3M Part Number	Pouches Per Roll	Rolls Per Case
T991824	5" x 6"	824	333	12
T991827	5" x 8"	827	500	8



3M Pouch Tape Pads

3M Pouch Tape Pads make attaching shipping papers easy and convenient.

- Portable for use around the warehouse.
- No dispenser needed.
- "Documents Enclosed" print.

3M Pouch Tape Pads

Stock Number	Pouch W x L	3M Part Number	Pouches Per Pad	Pads Per Case
T995830	5" x 6"	830	25	40
T996832	6" x 10"	832	25	40

3M Label Protection & Pouch Tape Dispensers

3M M707


- Accommodates rolls up to 4" wide.
- Labels are applied and protected in one time-saving operation.
- Mounts securely on counter or work table.
- Includes side-mounted, 3/4" wide auxiliary dispenser.

3M M797


- Adjustable dispenser can be set to desired tape length for consistent delivery.
- Accommodates rolls up to 6" wide.
- Can be used with all 3M label protection and pouch tapes.
- May be mounted or used as a portable dispenser.

3M Label Protection & Pouch Tape Dispensers

Stock Number	3M Part Number	Description
TD707POUCH	M707	4" Label Protection Dispenser
TD797POUCH	M797	6" Adjustable Dispenser



TD707POUCH



TD797POUCH

3M Label Protection Tape

821 Scotch® Label Protection Tape

- Premium grade label protection tape.
- Pink acetate film eliminates glare and bar code scanning errors.
- Meets U.P.S. and U.S. Postal regulations.
- Excellent UV resistance.
- Low static.

3565 Highland™ Label Protection Tape

- Clear, strong, moisture resistant polypropylene film tape.
- Edge tear and split resistant.
- Protects labels from abrasion, smudging and moisture.

3765 Tartan™ Label Protection Tape

- Utility grade label protection tape.
- Good for outdoor use and applications as low as 20° F.



3M 821 - 2.5 Mil Label Protection Tape

Stock Number	W x L	Mil	Rolls Per Case
T994821	4" x 72 yds.	2.5	8
T995821	5" x 72 yds.	2.5	8
T996821	6" x 72 yds.	2.5	8

3M 3565 - 1.9 Mil Label Protection Tape

Stock Number	W x L	Mil	Rolls Per Case
T9943565	4" x 72 yds.	1.9	18
T9953565	5" x 72 yds.	1.9	12

3M 3765 - 1.5 Mil Label Protection Tape

Stock Number	W x L	Mil	Rolls Per Case
T9943765	4" x 145 yds.	1.5	12
T9953765	5" x 145 yds.	1.5	8
T9963765	6" x 145 yds.	1.5	8

T994821

T9943565



Industrial Label Protection Tape

Extra wide roll covers most labels in a single pass.

- Use to attach shipping and product labels securely to packages.
- Clear adhesive will not yellow.
- A single roll will adhere approximately 400 labels.


Industrial - 1.7 Mil Label Protection Tape

Stock Number	W x L	Mil	Rolls Per Case
T9216100	4" x 72 yds.	1.7	18
T9226100	5" x 72 yds.	1.7	12
T9236100	6" x 72 yds.	1.7	12


Industrial Label Protection & Pouch Tape Dispensers

Industrial Dispensers

Stock Number	Roll Size	Description
TDLAB4PL	4"	Plastic Table Model
TDLAB6PL	6"	Plastic Table Model
TDLAB4ML	4"	Metal Table Model
TDLAB6ML	6"	Metal Table Model



TDLAB4PL



TDLAB4ML



811 Scotch® Magic™ Tape (Removable)

- Holds securely, yet can be easily removed or repositioned.
- Invisible tape disappears on paper.
- Non-yellowing, writable matte finish.
- Pulls off the roll smoothly and cuts easily.

665 Scotch® Double Sided Tape (Permanent)

- Coated with permanent adhesive on both sides.
- Photo safe transparent tape resists drying out.
- Usable right off the roll with no liner to remove.
- Dimensionally stable on applications up to 300° F.

610 Scotch® Cellophane Tape

- Cellophane film backing featuring a high-tack adhesive system.
- High performance transparent tape.
- Dimensionally stable on applications up to 300° F.

810 Scotch® Magic™ Tape (Permanent)

- Disappears when applied and stays invisible over time.
- Ideal for permanent applications like mending and splicing.
- Non-yellowing, writable matte finish.

600 Scotch® MultiTask Tape

- Strong, crystal clear and moisture resistant.
- Resists splitting, tearing, yellowing and drying out.

3M Transparent Tapes

811 Scotch® Magic™ Tape (Removable)

Stock Number	W x L	Core Size	Rolls Per Case
T9631811	½" x 36 yds.	1"	12
T9641811	¾" x 36 yds.	1"	12
T963811	½" x 72 yds.	3"	12
T964811	¾" x 72 yds.	3"	12
T965811	1" x 72 yds.	3"	12

665 Scotch® Double Sided Tape (Permanent)

Stock Number	W x L	Core Size	Rolls Per Case
T9531665	½" x 36 yds.	3"	12
T9541665	¾" x 36 yds.	3"	12
T9551665	1" x 36 yds.	3"	12
T953665	½" x 72 yds.	3"	72
T955665	1" x 72 yds.	3"	36

610 Scotch® Cellophane Tape

Stock Number	W x L	Core Size	Rolls Per Case
T963610	½" x 72 yds.	3"	72
T964610	¾" x 72 yds.	3"	48
T965610	1" x 72 yds.	3"	36

810 Scotch® Magic™ Tape (Permanent)

Stock Number	W x L	Core Size	Rolls Per Case
T9631810	½" x 36 yds.	1"	12
T9641810	¾" x 36 yds.	1"	12
T9651810	1" x 36 yds.	1"	12
T963810	½" x 72 yds.	3"	12
T964810	¾" x 72 yds.	3"	12
T965810	1" x 72 yds.	3"	12

600 Scotch® MultiTask Tape

Stock Number	W x L	Core Size	Rolls Per Case
T9631600	½" x 36 yds.	1"	12
T9641600	¾" x 36 yds.	1"	12
T963600	½" x 72 yds.	3"	72
T964600	¾" x 72 yds.	3"	48
T965600	1" x 72 yds.	3"	36

TD3MC23



TD3MC38



3M Table Top Tape Dispensers

C-38 Scotch® Table Top Dispenser

- Economical, reliable dispenser allows for one-handed dispensing.
- Dispenses standard tapes on a 1" core up to ¾" wide by 1,500" long.

C-23 Scotch® Heavy-Duty Table Top Dispenser

- Handles tapes up to a 5½" diameter, 1" wide on a 3" core.
- High impact plastic construction withstands industrial demands and large volume packaging operations.
- Weighted and balanced for stability on work surfaces.

3M Table Top Tape Dispensers

Stock Number	3M Part Number	Description	Color
TD3MC38	C-38	1" Core Tape Dispenser	Black
TD3MC23	C-23	3" Core Tape Dispenser	Putty

3M VHB™ Tape

Super strong 3M VHB™ Tapes provide the simplicity of a tape fastener with incredible strength that, in many situations, replaces rivets, bolts, screws, spot welds, liquid adhesives and other permanent fasteners. 3M VHB™ Foam Tapes are made with acrylic foam which is viscoelastic in nature. This gives the foam energy absorbing and stress relaxing properties which provides these tapes with their unique characteristics.

General Purpose VHB™ Tapes

#4920, #4929, #4930, #4949, #4950, #4955

- Features a general purpose adhesive on both sides of firm type foam.
- Acrylic foam with acrylic adhesive.
- UL 746C.

3M 4920 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB492012	½" x 72 yds.	15	160 lbs/in ²	White	3 Mil 54# Kraft	18
VHB492034	¾" x 72 yds.	15	160 lbs/in ²	White	3 Mil 54# Kraft	12
VHB492001	1" x 72 yds.	15	160 lbs/in ²	White	3 Mil 54# Kraft	9


3M 4929 & 4930 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB492912	½" x 72 yds.	25	160 lbs/in ²	Black	2 Mil Polyester	18
VHB492934	¾" x 72 yds.	25	160 lbs/in ²	Black	2 Mil Polyester	12
VHB492901	1" x 72 yds.	25	160 lbs/in ²	Black	2 Mil Polyester	9
VHB493012	½" x 72 yds.	25	160 lbs/in ²	White	3 Mil 54# Kraft	18
VHB493034	¾" x 72 yds.	25	160 lbs/in ²	White	3 Mil 54# Kraft	12
VHB493001	1" x 72 yds.	25	160 lbs/in ²	White	3 Mil 54# Kraft	9

Conformable VHB™ Tapes

#4926, #4936, #4941, #5952, #4956

- Feature a multi purpose adhesive on both sides of conformable foam.
- Conformable; provides good contact, even with mismatched substrates.
- Provides excellent adhesion to metals, glass and a wide variety of plastics.
- UL 746C.



3M 4926 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB492612	½" x 72 yds.	15	95 lbs/in ²	Gray	3 Mil 54# Kraft	18
VHB492601	1" x 72 yds.	15	95 lbs/in ²	Gray	3 Mil 54# Kraft	9

3M 4936 VHB™ Tape **NEW!**


Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB493612	½" x 72 yds.	25	90 lbs/in ²	Gray	3 Mil 54# Kraft	18
VHB493634	¾" x 72 yds.	25	90 lbs/in ²	Gray	3 Mil 54# Kraft	12
VHB493601	1" x 72 yds.	25	90 lbs/in ²	Gray	3 Mil 54# Kraft	9

3M 4941 & 5952 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB494112	½" x 36 yds.	45	85 lbs/in ²	Gray	3 Mil 54# Kraft	18
VHB494134	¾" x 36 yds.	45	85 lbs/in ²	Gray	3 Mil 54# Kraft	12
VHB494101	1" x 36 yds.	45	85 lbs/in ²	Gray	3 Mil 54# Kraft	9
VHB595212	½" x 36 yds.	45	90 lbs/in ²	Dk Gray	5 Mil Red Polyeth.	18
VHB595234	¾" x 36 yds.	45	90 lbs/in ²	Dk Gray	5 Mil Red Polyeth.	12
VHB595201	1" x 36 yds.	45	90 lbs/in ²	Dk Gray	5 Mil Red Polyeth.	9

3M 4956 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB495612	½" x 36 yds.	62	80 lbs/in ²	Gray	3 Mil 54# Kraft	18
VHB495634	¾" x 36 yds.	62	80 lbs/in ²	Gray	3 Mil 54# Kraft	12
VHB495601	1" x 36 yds.	62	80 lbs/in ²	Gray	3 Mil 54# Kraft	9



3M 4949 & 4950 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB494912	½" x 36 yds.	45	140 lbs/in ²	Black	2 Mil Polyester	18
VHB494934	¾" x 36 yds.	45	140 lbs/in ²	Black	2 Mil Polyester	12
VHB494901	1" x 36 yds.	45	140 lbs/in ²	Black	2 Mil Polyester	9
VHB495012	½" x 36 yds.	45	140 lbs/in ²	White	3 Mil 54# Kraft	18
VHB495034	¾" x 36 yds.	45	140 lbs/in ²	White	3 Mil 54# Kraft	12
VHB495001	1" x 36 yds.	45	140 lbs/in ²	White	3 Mil 54# Kraft	9

3M 4955 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB495512	½" x 36 yds.	80	95 lbs/in ²	White	2 Mil Polyester	18
VHB495534	¾" x 36 yds.	80	95 lbs/in ²	White	2 Mil Polyester	12
VHB495501	1" x 36 yds.	80	95 lbs/in ²	White	2 Mil Polyester	9

Specialty VHB™ Tapes

#4905 & 4910

- Use for clear or colorless applications.
- Recommended for glass and acrylics.

#4932

- LSE adhesive on a firm foam.
- Use for polypropylene, polystyrene and coated metals.

#5925

- Conformable; adheres to powder coated metals, plastics and paint systems.
- UL 746C.



3M 4905 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB490512	½" x 72 yds.	20	100 lbs/in ²	Clear	5 Mil Red Polyeth.	18
VHB490534	¾" x 72 yds.	20	100 lbs/in ²	Clear	5 Mil Red Polyeth.	12
VHB490501	1" x 72 yds.	20	100 lbs/in ²	Clear	5 Mil Red Polyeth.	9

3M 4910 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB491012	½" x 36 yds.	40	100 lbs/in ²	Clear	5 Mil Red Polyeth.	18
VHB491034	¾" x 36 yds.	40	100 lbs/in ²	Clear	5 Mil Red Polyeth.	12
VHB491001	1" x 36 yds.	40	100 lbs/in ²	Clear	5 Mil Red Polyeth.	9

3M 4932 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB493212	½" x 72 yds.	25	100 lbs/in ²	White	3 Mil 54# Kraft	18
VHB493234	¾" x 72 yds.	25	100 lbs/in ²	White	3 Mil 54# Kraft	12
VHB493201	1" x 72 yds.	25	100 lbs/in ²	White	3 Mil 54# Kraft	9

3M 5925 VHB™ Tape **NEW!**

Stock Number	W x L	Mil	Tensile Strength	Color	Liner Type	Quantity Per Case
VHB592512	½" x 72 yds.	25	90 lbs/in ²	Dk Gray	5 Mil Red Polyeth.	18
VHB592501	1" x 72 yds.	25	90 lbs/in ²	Dk Gray	5 Mil Red Polyeth.	9



3M Premium Grade - Polyurethane Foam

Stock Number	W x L	Thickness	Application	3M Part Number	Rolls Per Case
T9534032	1/2" x 72 yds.	1/32"	Light-Duty	4032	18
T9544032	NEW! 3/4" x 72 yds.	1/32"	Light-Duty	4032	12
T9554032	1" x 72 yds.	1/32"	Light-Duty	4032	9
T9574032	NEW! 2" x 72 yds.	1/32"	Light-Duty	4032	6
T9534016	1/2" x 36 yds.	1/16"	Medium-Duty	4016	18
T9544016	NEW! 3/4" x 36 yds.	1/16"	Medium-Duty	4016	12
T9554016	1" x 36 yds.	1/16"	Medium-Duty	4016	9
T9574016	NEW! 2" x 36 yds.	1/16"	Medium-Duty	4016	6
T9534008	1/2" x 36 yds.	1/8"	Heavy-Duty	4008	18
T9544008	NEW! 3/4" x 36 yds.	1/8"	Heavy-Duty	4008	12
T9554008	1" x 36 yds.	1/8"	Heavy-Duty	4008	9
T9534004	1/2" x 18 yds.	1/4"	Extra Heavy-Duty	4004	18
T9554004	1" x 18 yds.	1/4"	Extra Heavy-Duty	4004	9

3M General Grade - Polyethylene Foam

Stock Number	W x L	Thickness	Application	3M Part Number	Rolls Per Case
T9534462	1/2" x 72 yds.	1/32"	Light-Duty	4462	18
T9554462	1" x 72 yds.	1/32"	Light-Duty	4462	9
T9534466	1/2" x 36 yds.	1/16"	Medium-Duty	4466	18
T9554466	1" x 36 yds.	1/16"	Medium-Duty	4466	9

Double Sided Film Tape

3M 444 Permanent

- Rugged yet flexible polyester tape bonds well to most surfaces.

3M 665 Repositionable

- PVC tape with permanent adhesive on one side and repositionable adhesive on the other.

Industrial Permanent

- Conformable vinyl film with natural rubber adhesive.

3M 444 Permanent - Polyester

Stock Number	W x L	Mil	Liner Backing	Core Size	Rolls Per Case
T953444	1/2" x 36 yds.	4.0	Yes	3"	72
T955444	1" x 36 yds.	4.0	Yes	3"	36

3M 665 Repositionable - PVC

Stock Number	W x L	Mil	Liner Backing	Core Size	Rolls Per Case
T9531665	1/2" x 36 yds.	3.5	No	3"	12
T9541665	3/4" x 36 yds.	3.5	No	3"	12
T9551665	1" x 36 yds.	3.5	No	3"	12
T953665	1/2" x 72 yds.	3.5	No	3"	72
T955665	1" x 72 yds.	3.5	No	3"	36

Double Sided Foam Tape

3M 4032, 4016, 4008 & 4004 - Premium Grade

- Acrylic adhesive seals, cushions vibrations, resists impacts and insulates.
- Resists heat up to 380° F. for short periods and 225° F. for an extended time.
- Use for your most demanding indoor or outdoor mounting applications.

3M 4462, 4466 & Industrial - General Grade

- Specially formulated for most indoor mounting and joining applications.
- Extremely flexible polyethylene foam tape features rubber adhesive.
- Ideal temperature range is 70° F. - 100° F.

3M 4408 - Black

- Use for mounting signs and nameplates to irregular surfaces.
- Specially formulated for most indoor mounting and joining applications.
- Conformable, flexible, sturdy foam cushion.

3M 4026 - Squares

- High temperature resistant acrylic adhesive.
- Distributes stress uniformly over bonded areas.
- Use to fill gaps and bond irregular surfaces.

Industrial - General Grade - Polyethylene Foam

Stock Number	W x L	Thickness	Application	Rolls Per Case
T943116	1/2" x 72 yds.	1/32"	Light-Duty	24
T945116	1" x 72 yds.	1/32"	Light-Duty	12
T953116	1/2" x 36 yds.	1/16"	Medium-Duty	24
T955116	1" x 36 yds.	1/16"	Medium-Duty	12

3M Black Polyurethane Foam

NEW!

Stock Number	W x L	Thickness	Application	3M Part Number	Rolls Per Case
T9534408	1/2" x 36 yds.	1/8"	Light-Duty	4408	18
T9544408	3/4" x 36 yds.	1/8"	Light-Duty	4408	12
T9554408	1" x 36 yds.	1/8"	Light-Duty	4408	9

3M Polyurethane Foam Squares

NEW!

Stock Number	W x L	Thickness	Application	3M Part Number	Quantity Per Case
T9114026	1" x 1"	1/8"	Light-Duty	4026	1,000



Industrial - Permanent - Vinyl

Stock Number	W x L	Mil	Liner Backing	Core Size	Rolls Per Case
T955597	1" x 36 yds.	5.9	Yes	3"	36
T957597	2" x 36 yds.	5.9	Yes	3"	24

Adhesive Transfer Tape Dispenser Rolls

Finger touch application of pressure sensitive adhesive.

- Works best on smooth surfaces.
- Applies a precise strip of adhesive. Liner rewinds into the dispenser.

3M 969 Premium

- Offers high performance for heavy-duty bonding - "High Tack" adhesive.
- Provides excellent adhesion to most plastics.

3M 924 General Purpose

- Excellent adhesion to most paper and plastics.

3M 928 Repositionable

- Provides a secure seal that can be opened and closed many times.
- Performs like the "Post-it® Note" adhesive.



3M 969 Premium

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T961969	1/4" x 36 yds.	5.0	1"	144
T963969	1/2" x 18 yds.	5.0	1"	72
T964969	3/4" x 18 yds.	5.0	1"	48

3M 924 General Purpose

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T961924	1/4" x 36 yds.	2.0	1"	72
T963924	1/2" x 36 yds.	2.0	1"	72
T969924	1/2" x 60 yds.	2.0	1"	72
T964924	3/4" x 36 yds.	2.0	1"	48

3M 928 Repositionable

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T953928	1/2" x 18 yds.	2.0	1"	72
T964928	3/4" x 18 yds.	2.0	1"	48

Industrial - Heavy-Duty

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T953467	1/2" x 18 yds.	5.0	1"	72
T954467	3/4" x 18 yds.	5.0	1"	48

Industrial - General Purpose

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T9637502	1/2" x 36 yds.	2.0	1"	72
T9647502	3/4" x 36 yds.	2.0	1"	48

Adhesive Transfer Tape Dispensers

Stock Number	Description
TDTRANSF3M	3M 700 Adhesive Transfer Tape Dispenser
TDTRANSFER	Industrial Adhesive Transfer Tape Dispenser

Adhesive Transfer Tape Hand Dispensed Rolls

Double coated transfer tape is great for splicing paper, foil, corrugated and film.

- Applies adhesive side down so liner can be peeled off when needed.

3M 950 Premium

- Excellent adhesion to most plastics and offers a "high tack".

3M 465 General Purpose

- Acrylic adhesive is heat and solvent resistant.



3M 950 Premium

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T963950	1/2" x 60 yds.	5.0	3"	72
T964950	3/4" x 60 yds.	5.0	3"	48
T965950	1" x 60 yds.	5.0	3"	36

3M 465 General Purpose

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T963465	1/2" x 60 yds.	2.0	3"	72
T964465	3/4" x 60 yds.	2.0	3"	48
T965465	1" x 60 yds.	2.0	3"	36

Industrial - Heavy-Duty

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T953461	1/2" x 60 yds.	5.0	3"	72
T954461	3/4" x 60 yds.	5.0	3"	48
T955461	1" x 60 yds.	5.0	3"	36

Industrial - General Purpose

Stock Number	W x L	Mil	Core Size	Rolls Per Case
T953460	1/2" x 60 yds.	2.0	3"	72
T954460	3/4" x 60 yds.	2.0	3"	48
T955460	1" x 60 yds.	2.0	3"	36

Teflon® Tape

Teflon® Tape protects heat sealing equipment.

3M 5453 Premium Grade

- Thick 8.2 Mil glass cloth backing for long wear life.
- Non-stick, low friction surface saves clean-up time.
- High temperature silicone adhesive.

Industrial Grade

- General purpose protection for hot wire contacts.

3M 5453 Premium Grade

Stock Number	W x L	Mil	Rolls Per Case
T9615453	¼" x 36 yds.	8.2	1
T9635453	½" x 36 yds.	8.2	1
T9605453	¾" x 36 yds.	8.2	1
T9645453	¾" x 36 yds.	8.2	1
T9655453	1" x 36 yds.	8.2	1
T9675453	2" x 36 yds.	8.2	1



Industrial Grade

Stock Number	W x L	Mil	Rolls Per Case
T962213	¾" x 36 yds.	3.0	1
T965213	1" x 18 yds.	3.0	1
T967213	2" x 18 yds.	3.0	1



Aluminum Foil Tape

Provides water proofing vapor barrier and air leak protection.

3M 425 Premium

- Premium dead soft aluminum foil backing with acrylic adhesive.
- Long service life for both indoors and outdoors.

3M 1450 General Purpose

- Rubber based adhesive.
- Great adhesion to steel.

Industrial Grade

- Aggressive acrylic adhesive.

3M 425 Premium

NEW!

Stock Number	W x L	Mil	Rolls Per Case
T967425	2" x 60 yds.	4.6	24

3M 1450 General Purpose

Stock Number	W x L	Mil	Rolls Per Case
T9671450	2" x 60 yds.	3.1	24

Industrial Grade

Stock Number	W x L	Mil	Rolls Per Case
T967003	2" x 60 yds.	5.0	24

Electrical Tape

Black vinyl insulating tape for splicing.

3M 33+ Premium Grade

- Premium grade, all-weather vinyl insulating tape.
- Excellent resistance to abrasion, moisture, alkalis, acids and corrosion.
- UL listed.

Industrial Grade

- General purpose vinyl electrical tape.
- UL listed.

3M 33+ Premium Grade

Stock Number	W x L	Mil	Rolls Per Case
T964033	¾" x 66'	7.0	100
T96403310PK	¾" x 66'	7.0	10

Industrial Grade

Stock Number	W x L	Mil	Rolls Per Case
T964618	¾" x 20 yds.	7.0	200
T96461810PK	¾" x 20 yds.	7.0	10



Vinyl Safety Tape

Heavy-duty vinyl tape resists oil, grease, moisture, solvents and scuffs.

Caution/Physical Hazard

- Yellow, Black/Yellow

Danger/Fire Protection

- Red, Red/White

First Aid/Safety Equipment

- Green, Green/White

Hazard/Biohazard

- Orange

Boundaries/Housekeeping

- Black, White, Black/White
- Blue, Purple



Tape Applicator


Stock Number	Description
AMD4LM	Vinyl Safety Tape Applicator

2" Striped Vinyl Safety Tape

Stock Number	W x L	Mil	Color	Rolls Per Case
T9236BY	2" x 36 yds.	7.0	Black/Yellow	24
T9236RW	2" x 36 yds.	7.0	Red/White	24
T9236BW	2" x 36 yds.	7.0	Black/White	24
T9236GW	2" x 36 yds.	7.0	Green/White	24

3" Striped Vinyl Safety Tape

Stock Number	W x L	Mil	Color	Rolls Per Case
T9336BY	3" x 36 yds.	7.0	Black/Yellow	16
T9336RW	3" x 36 yds.	7.0	Red/White	16
T9336BW	3" x 36 yds.	7.0	Black/White	16
T9336GW	3" x 36 yds.	7.0	Green/White	16



2" Solid Vinyl Safety Tape

Stock Number	W x L	Mil	Color	Rolls Per Case
T9236Y	2" x 36 yds.	6.0	Yellow	24
T9236R	2" x 36 yds.	6.0	Red	24
T9236W	2" x 36 yds.	6.0	White	24
T9236BL	2" x 36 yds.	6.0	Black	24
T9236B	2" x 36 yds.	6.0	Blue	24
T9236G	2" x 36 yds.	6.0	Green	24
T9236O	2" x 36 yds.	6.0	Orange	24
T9236P	2" x 36 yds.	6.0	Purple	24

3" Solid Vinyl Safety Tape

Stock Number	W x L	Mil	Color	Rolls Per Case
T9336Y	3" x 36 yds.	6.0	Yellow	16
T9336R	3" x 36 yds.	6.0	Red	16
T9336W	3" x 36 yds.	6.0	White	16
T9336BL	3" x 36 yds.	6.0	Black	16
T9336B	3" x 36 yds.	6.0	Blue	16
T9336G	3" x 36 yds.	6.0	Green	16
T9336O	3" x 36 yds.	6.0	Orange	16
T9336P	3" x 36 yds.	6.0	Purple	16



Barricade Tape

Boldly display warning of dangerous areas.

- Bright 3 Mil colored tape gets noticed!
- Large easy to read 2" letters.
- Packaged in an easy to use dispenser box.

Barricade Tape

Stock Number	W x L	Message	Rolls Per Case
T968CCC	3" x 1,000'	"Caution"	4
T968CDN	3" x 1,000'	"Caution Do Not Enter"	4
T968DDD	3" x 1,000'	"Danger"	4



Intertape Colored Cloth Duct Tape

Colored Cloth Duct Tape is great for color coding.

- Poly coated cloth tape with a high tack rubber adhesive.
- Moisture resistant.

IPG AC20 - Colored Cloth Duct Tape

Stock Number	W x L	Color	Mil	Rolls Per Case
T987620B	2" x 60 yds.	Black	9.0	24
T9876203PKB	2" x 60 yds.	Black	9.0	3
T987620R	2" x 60 yds.	Red	9.0	24
T9876203PKR	2" x 60 yds.	Red	9.0	3
T987620W	2" x 60 yds.	White	9.0	24
T9876203PKW	2" x 60 yds.	White	9.0	3
T987620Y	2" x 60 yds.	Yellow	9.0	24
T9876203PKY	2" x 60 yds.	Yellow	9.0	3
T987620Z	2" x 60 yds.	Olive Drab	9.0	24
T9876203PKZ	2" x 60 yds.	Olive Drab	9.0	3
T987620C	2" x 60 yds.	Brown	9.0	24
T987620D	2" x 60 yds.	Orange	9.0	24
T987620E	2" x 60 yds.	Dark Green	9.0	24
T987620J	2" x 60 yds.	Dark Blue	9.0	24
T987620T	2" x 60 yds.	Tan	9.0	24


3M 6910 Gaffers Tape

3M premium Gaffers Tape features a matte finish backing that is non-reflective and abrasive resistant.

- Vinyl coated backing is conformable, strong and water resistant.
- Easy to tear by hand.
- Black - UV resistant.
- Will function up to 200° F. for up to one hour.

3M 6910 Premium Grade

Stock Number	W x L	Color	Mil	Rolls Per Case
T9876910S	2" x 60 yds.	Silver	12.0	24
T9876910B	2" x 60 yds.	Black	12.0	24



Industrial Gaffers Tape

Great for securing wires to carpet, wood and concrete.

- Industrial grade poly coated cloth tape will not leave a residue.
- For indoor and outdoor use.
- Available in black or yellow.
- Non-reflective.

Industrial Grade

Stock Number	W x L	Color	Mil	Rolls Per Case
T987680B	2" x 60 yds.	Black	10.3	24
T9876803PKB	2" x 60 yds.	Black	10.3	3
T987680Y	2" x 60 yds.	Yellow	10.3	24
T9876803PKY	2" x 60 yds.	Yellow	10.3	3
T988680B	3" x 60 yds.	Black	10.3	16
T9886803PKB	3" x 60 yds.	Black	10.3	3

3M Duct Tape

6969 Highland™ Cloth Duct Tape

- Great for sealing, holding, moisture protection and for temporary repairs.

3939 Tartan™ Cloth Duct Tape

- Ideal for duct and moisture sealing, bundling and packaging applications.

3900 Scotch® Cloth Duct Tape

- A good choice for general maintenance, wrapping, sealing and protecting.

3903 Tartan™ Vinyl Duct Tape

- Extremely flexible with elongation up to 150%!



3M 6969 Highland™ Cloth Duct Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Adhesion to Steel	Elongation at Break	Adhesive Type	Rolls Per Case
T9876969	2" x 60 yds.	Silver	10.7	32 lbs./in. width	61 oz./in. width	16%	Natural Rubber	24

3M 3939 Tartan™ Cloth Duct Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Adhesion to Steel	Elongation at Break	Adhesive Type	Rolls Per Case
T9873939	2" x 60 yds.	Silver	9.0	25 lbs./in. width	55 oz./in. width	17%	Natural Rubber	24

3M 3900 Scotch® Cloth Duct Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Adhesion to Steel	Elongation at Break	Adhesive Type	Rolls Per Case
T9873900	2" x 60 yds.	Silver	7.7	22 lbs./in. width	56 oz./in. width	15%	Natural Rubber	24

3M 3903 Tartan™ Vinyl Duct Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Adhesion to Steel	Elongation at Break	Adhesive Type	Rolls Per Case
T9873903	2" x 50 yds.	Silver	6.3	14 lbs./in. width	20 oz./in. width	150%	Natural Rubber	24

Intertape Cloth Duct Tape

AC50 Premium Grade Cloth Duct Tape

- Features strong poly coated cloth backing with a high tack rubber adhesive.

AC36 Medium Grade Cloth Duct Tape

- Use for wrapping and sealing applications.

AC20 General Grade Cloth Duct Tape

- For bundling and packaging applications.

AC15 Utility Grade Cloth Duct Tape

- For non-critical applications.



IPG AC50 - Premium Grade Cloth Duct Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Adhesion to Steel	Elongation at Break	Adhesive Type	Rolls Per Case
T987050S	2" x 60 yds.	Silver	14.0	48 lbs./in. width	50 oz./in. width	14%	Natural Rubber	24
T987050B	2" x 60 yds.	Black	14.0	48 lbs./in. width	50 oz./in. width	14%	Natural Rubber	24

IPG AC36 - Medium Grade Cloth Duct Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Adhesion to Steel	Elongation at Break	Adhesive Type	Rolls Per Case
T987036S	2" x 60 yds.	Silver	11.0	20 lbs./in. width	60 oz./in. width	18%	Natural Rubber	24
T987036B	2" x 60 yds.	Black	11.0	20 lbs./in. width	60 oz./in. width	18%	Natural Rubber	24

IPG AC20 - General Grade Cloth Duct Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Adhesion to Steel	Elongation at Break	Adhesive Type	Rolls Per Case
T988620	3" x 60 yds.	Silver	9.0	18 lbs./in. width	54 oz./in. width	18%	Natural Rubber	16

IPG AC15 - Utility Grade Cloth Duct Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Adhesion to Steel	Elongation at Break	Adhesive Type	Rolls Per Case
T987015	2" x 60 yds.	Silver	8.0	18 lbs./in. width	54 oz./in. width	18%	Natural Rubber	24



IPG PG29 - Premium Grade Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T934029	¾" x 60 yds.	6.8	Up to 250° F. (30 min.)	48
T935029	1" x 60 yds.	6.8	Up to 250° F. (30 min.)	36
T936029	1½" x 60 yds.	6.8	Up to 250° F. (30 min.)	24
T937029	2" x 60 yds.	6.8	Up to 250° F. (30 min.)	24

IPG PG5 - Premium Grade Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T934005	¾" x 60 yds.	6.3	Up to 250° F. (30 min.)	48
T935005	1" x 60 yds.	6.3	Up to 250° F. (30 min.)	36
T936005	1½" x 60 yds.	6.3	Up to 250° F. (30 min.)	24
T937005	2" x 60 yds.	6.3	Up to 250° F. (30 min.)	24
T938005	3" x 60 yds.	6.3	Up to 250° F. (30 min.)	16

IPG PG505 - Medium Grade Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T933505	½" x 60 yds.	6.0	Up to 200° F. (60 min.)	72
T934505	¾" x 60 yds.	6.0	Up to 200° F. (60 min.)	48
T935505	1" x 60 yds.	6.0	Up to 200° F. (60 min.)	36
T936505	1½" x 60 yds.	6.0	Up to 200° F. (60 min.)	24
T937505	2" x 60 yds.	6.0	Up to 200° F. (60 min.)	24
T938505	3" x 60 yds.	6.0	Up to 200° F. (60 min.)	16

Intertape Colored Masking Tape

Use to color code shipments or inventory identification.

- Choose from black, orange, white, light blue, light green, red, dark green or yellow.



IPG PF3 - Colored Masking Tape

Stock Number	W x L	Mil	Rolls Per Case
T934003*	¾" x 60 yds.	6.2	48
T935003*	1" x 60 yds.	6.2	36
T937003*	2" x 60 yds.	6.2	24

* Please specify black, orange, white, light blue, light green, red, dark green or yellow.

Intertape Masking Tape

PG29 & PG5 Premium Grade Masking Tape

- Professional quality for the professional painter. Clean removal.

PG505 & 515 Medium Grade Masking Tape

- Industry standard. Designed for paint contractors.

PG501 General Grade Masking Tape

- For light masking and packaging applications.

513 Utility Grade Masking Tape

- For non-critical room temperature applications.

IPG 515 - Medium Grade Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T933515	½" x 60 yds.	5.7	Up to 200° F. (60 min.)	72
T934515	¾" x 60 yds.	5.7	Up to 200° F. (60 min.)	48
T935515	1" x 60 yds.	5.7	Up to 200° F. (60 min.)	36
T936515	1½" x 60 yds.	5.7	Up to 200° F. (60 min.)	24
T937515	2" x 60 yds.	5.7	Up to 200° F. (60 min.)	24
T938515	3" x 60 yds.	5.7	Up to 200° F. (60 min.)	16

IPG PG501 - General Grade Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T934501	¾" x 60 yds.	5.5	Up to 200° F. (30 min.)	48
T935501	1" x 60 yds.	5.5	Up to 200° F. (30 min.)	36
T936501	1½" x 60 yds.	5.5	Up to 200° F. (30 min.)	24
T937501	2" x 60 yds.	5.5	Up to 200° F. (30 min.)	24
T938501	3" x 60 yds.	5.5	Up to 200° F. (30 min.)	16

IPG 513 - Utility Grade Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T933513	½" x 60 yds.	5.2	Up to 150° F. (30 min.)	72
T934513	¾" x 60 yds.	5.2	Up to 150° F. (30 min.)	48
T935513	1" x 60 yds.	5.2	Up to 150° F. (30 min.)	36
T936513	1½" x 60 yds.	5.2	Up to 150° F. (30 min.)	24
T937513	2" x 60 yds.	5.2	Up to 150° F. (30 min.)	24
T938513	3" x 60 yds.	5.2	Up to 150° F. (30 min.)	16

Intertape High Temperature Masking Tape

Designed for warm removal applications.



IPG PG21 - Performance Grade Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T93421	¾" x 60 yds.	7.3	Up to 325° F. (30 min.)	48
T93521	1" x 60 yds.	7.3	Up to 325° F. (30 min.)	36
T93621	1½" x 60 yds.	7.3	Up to 325° F. (30 min.)	24
T93721	2" x 60 yds.	7.3	Up to 325° F. (30 min.)	24

IPG 16 - High Temperature Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T93316	½" x 60 yds.	6.7	Up to 310° F. (30 min.)	72
T93416	¾" x 60 yds.	6.7	Up to 310° F. (30 min.)	48
T93516	1" x 60 yds.	6.7	Up to 310° F. (30 min.)	36
T93716	2" x 60 yds.	6.7	Up to 310° F. (30 min.)	24

3M Masking Tape

232 Scotch® Brand High Performance Masking Tape

- An excellent professional painter's masking tape.
- Designed to be used in medium temperature paint baking applications.
- Features a smooth crepe paper backing treated with a heat and solvent resistant saturant with a rubber adhesive.

234 Scotch® Brand General Purpose Masking Tape

- Heavy-duty general purpose industrial masking tape.
- Used in medium temperature paint baking applications.
- Features a smooth crepe paper backing treated with a heat and solvent resistant saturant and a rubber adhesive.

2307 Highland™ Brand Masking Tape

- General purpose masking tape for holding, bundling, sealing or general paint masking.
- Natural colored crepe paper and a rubber based adhesive.

200 Tartan™ Brand Paper Tape

- A utility purpose paper tape used for holding, bundling, sealing or for non-critical masking applications.

2214 Scotch® Brand Paper Tape

- Utility grade for bundling and other non-critical masking jobs.

232 Scotch® High Performance Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T933232	½" x 60 yds.	6.3	Up to 250° F. (1 hour)	72
T934232	¾" x 60 yds.	6.3	Up to 250° F. (1 hour)	48
T935232	1" x 60 yds.	6.3	Up to 250° F. (1 hour)	36
T936232 NEW!	1½" x 60 yds.	6.3	Up to 250° F. (1 hour)	24
T937232	2" x 60 yds.	6.3	Up to 250° F. (1 hour)	24
T938232	3" x 60 yds.	6.3	Up to 250° F. (1 hour)	12

234 Scotch® General Purpose Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T933234	½" x 60 yds.	6.0	Up to 250° F. (1 hour)	72
T934234	¾" x 60 yds.	6.0	Up to 250° F. (1 hour)	48
T935234	1" x 60 yds.	6.0	Up to 250° F. (1 hour)	36
T936234 NEW!	1½" x 60 yds.	6.0	Up to 250° F. (1 hour)	24
T937234	2" x 60 yds.	6.0	Up to 250° F. (1 hour)	24
T938234	3" x 60 yds.	6.0	Up to 250° F. (1 hour)	12

3M Automotive Refinishing Masking Tape

Removes cleanly when subject to temperatures up to 250° F.

- Balanced construction for applications where clean removal and conformability are required.
- Heat and solvent resistance provides excellent performance in most painting applications.



233+ Scotch® Automotive Refinishing Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T933233	½" x 60 yds.	6.7	Up to 250° F. (30 min.)	48
T934233	¾" x 60 yds.	6.7	Up to 250° F. (30 min.)	48
T935233	1" x 60 yds.	6.7	Up to 250° F. (30 min.)	24
T937233	2" x 60 yds.	6.7	Up to 250° F. (30 min.)	12
T938233	3" x 60 yds.	6.7	Up to 250° F. (30 min.)	8



2307 Highland™ Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T9332307	½" x 60 yds.	5.6	Up to 200° F. (1 hour)	72
T9342307	¾" x 60 yds.	5.6	Up to 200° F. (1 hour)	48
T9352307	1" x 60 yds.	5.6	Up to 200° F. (1 hour)	36
T9362307	1½" x 60 yds.	5.6	Up to 200° F. (1 hour)	24
T9372307	2" x 60 yds.	5.6	Up to 200° F. (1 hour)	24
T9382307	3" x 60 yds.	5.6	Up to 200° F. (1 hour)	12

200 Tartan™ Paper Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T933200	½" x 60 yds.	4.5	Up to 200° F. (30 min.)	72
T934200	¾" x 60 yds.	4.5	Up to 200° F. (30 min.)	48
T935200	1" x 60 yds.	4.5	Up to 200° F. (30 min.)	36
T936200 NEW!	1½" x 60 yds.	4.5	Up to 200° F. (30 min.)	24
T937200	2" x 60 yds.	4.5	Up to 200° F. (30 min.)	24
T938200 NEW!	3" x 60 yds.	4.5	Up to 150° F. (30 min.)	12

2214 Scotch® Paper Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T9332214	½" x 60 yds.	5.3	Up to 150° F. (30 min.)	72
T9342214	¾" x 60 yds.	5.3	Up to 150° F. (30 min.)	48
T9352214	1" x 60 yds.	5.3	Up to 150° F. (30 min.)	36
T9362214 NEW!	1½" x 60 yds.	5.3	Up to 150° F. (30 min.)	24
T9372214	2" x 60 yds.	5.3	Up to 150° F. (30 min.)	24
T9382214 NEW!	3" x 60 yds.	5.3	Up to 150° F. (30 min.)	12

3M High Temperature Masking Tape

3M 2380 Scotch® High Temperature Masking Tape

- Treated with a heat and solvent resistant saturant suitable for most paint masking applications.
- Suitable drying conditions range from air dry to oven bake temperatures.



2380 Scotch® High Temperature Masking Tape

Stock Number	W x L	Mil	Temperature	Rolls Per Case
T9332380	½" x 60 yds.	7.5	Up to 325° F. (30 min.)	72
T9342380	¾" x 60 yds.	7.5	Up to 325° F. (30 min.)	48
T9352380	1" x 60 yds.	7.5	Up to 325° F. (30 min.)	36
T9372380	2" x 60 yds.	7.5	Up to 325° F. (30 min.)	24
T9382380 NEW!	3" x 60 yds.	7.5	Up to 325° F. (30 min.)	12



Weatherable Masking Tape

3M 2090 Long Mask™ Masking Tape

- Ideal for long term masking projects.
- Removes cleanly and easily for up to seven days without leaving a residue.
- Features easy tear and a controlled unwind for easy handling.

IPG PT14 Weatherable Masking Tape

- Holds up to 14 days with clean removal.
- Solvent and moisture resistant.

3M 2090 Long Mask™ Weatherable Masking Tape

Stock Number	W x L	Mil	UV Exposure	Rolls Per Case
T9342090	¾" x 60 yds.	5.0	7 Days	48
T9352090	1" x 60 yds.	5.0	7 Days	36
T9372090	2" x 60 yds.	5.0	7 Days	24

IPG PT14 Weatherable Masking Tape

Stock Number	W x L	Mil	UV Exposure	Rolls Per Case
T935PT14	1" x 60 yds.	5.3	14 Days	36
T937PT14	2" x 60 yds.	5.3	14 Days	24

Double Sided Masking Tape

3M 410M Premium Grade

- Bonds extremely well to clean smooth surfaces.
- Widely used in the printing industry for splicing.
- Easy release paper liner.

Industrial Grade


- Aggressive adhesive bonds immediately.
- Great for golf club grips and splicing paper, foil, film and fabric.

3M 410M Premium Grade

Stock Number	W x L	Mil	Rolls Per Case
T955410	1" x 36 yds.	6.0	36
T957410	2" x 36 yds.	6.0	24

Industrial Grade

Stock Number	W x L	Mil	Rolls Per Case
T955592	1" x 36 yds.	5.4	36
T957592	2" x 36 yds.	5.4	24



Double Sided Tape Dispenser

Stock Number	Description
TDDC926	Double Sided Tape Dispenser



Masking Tape Dispensers

Dispensers feature heavy-duty steel construction with non-skid bases.

- Dispense single or multiple rolls of tape on the same dispenser!
- Guides keep tape separated for an easy fit.
- Serrated blade cuts tape cleanly.
- Holds 3" diameter cores.

Masking Tape Dispensers

Stock Number	Description	Holds Up To
SL7316	1" Masking Tape Dispenser	1 Roll
SL7326	2" Masking Tape Dispenser	2 Rolls
SL7336	3" Masking Tape Dispenser	3 Rolls

3M Tensitized Polypropylene Strapping Tape

860 Tartan™ Strapping Tape

- Formulated to provide good adhesion to metallic, plastic, fibreboard and painted surfaces.

8898 Scotch® Strapping Tape


- Tensitized polypropylene backing with stiffness for handling ease.
- Typical 160 lbs./in. width tensile strength for general strapping on plastic, metal and fibreboard.

860 Tartan™ Strapping Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Rolls Per Case
T913860	½" x 60 yds.	Black	2.8	110 lbs./in. width	144
T919860	½" x 120 yds.	Black	2.8	110 lbs./in. width	144

8898 Scotch® Strapping Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Rolls Per Case
T9138898	½" x 60 yds.	Blue	4.6	160 lbs./in. width	72
T9158898	1" x 60 yds.	Blue	4.6	160 lbs./in. width	36



Intertape Tensitized Polypropylene Strapping Tape

Strong Poly Strapping Tape is great for bundling.

- Economy strapping tape for general purpose packaging.
- Also use to secure pallets.
- Stretches over 35%.

IPG 197 - Tensitized Polypropylene Strapping Tape

Stock Number	W x L	Color	Mil	Tensile Strength	Rolls Per Case
T975197	½" x 60 yds.	Black	2.7	95 lbs./in. width	144
T977197	1" x 60 yds.	Black	2.7	95 lbs./in. width	72

3M Stretchable Tape

High-performance transparent tape designed to contain pallets without crushing cartons.

- Won't damage carton graphics when applied; loses tack when stretched.
- Provides excellent pallet stability and reduces 95% of wrap waste.

8884 Scotch® Stretchable Tape

Stock Number	W x L	Mil	Tensile Strength	Rolls Per Case
T9668884	1½" x 60 yds.	5.0	20 lbs./in. width	24

8886 Scotch® Stretchable Tape

Stock Number	W x L	Mil	Tensile Strength	Rolls Per Case
T9668886	1½" x 60 yds.	7.0	28 lbs./in. width	24

H38 Scotch® Stretchable Tape Dispenser

Stock Number	Description
TDH38	Stretchable Tape Dispenser





Intertape Filament Tape

This industrial tape is reinforced with glass filaments for super strength.

- Filament Tape is strong yet flexible.
- Great for bundling shipments to save on freight.
- Strong adhesive tape holds products together better than string or twine.
- Also great for sealing packages.

IPG 316 - Heavy-Duty Filament Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T913316	½" x 60 yds.	300 lbs./in. width	6.1	72
T91331612PK	½" x 60 yds.	300 lbs./in. width	6.1	12
T914316	¾" x 60 yds.	300 lbs./in. width	6.1	48
T91431612PK	¾" x 60 yds.	300 lbs./in. width	6.1	12
T915316	1" x 60 yds.	300 lbs./in. width	6.1	36
T91531612PK	1" x 60 yds.	300 lbs./in. width	6.1	12
T917316	2" x 60 yds.	300 lbs./in. width	6.1	24
T91731612PK	2" x 60 yds.	300 lbs./in. width	6.1	12

IPG 315 - Industrial Filament Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T913315	½" x 60 yds.	175 lbs./in. width	4.2	72
T91331512PK	½" x 60 yds.	175 lbs./in. width	4.2	12
T914315	¾" x 60 yds.	175 lbs./in. width	4.2	48
T91431512PK	¾" x 60 yds.	175 lbs./in. width	4.2	12
T915315	1" x 60 yds.	175 lbs./in. width	4.2	36
T91531512PK	1" x 60 yds.	175 lbs./in. width	4.2	12
T917315	2" x 60 yds.	175 lbs./in. width	4.2	24
T91731512PK	2" x 60 yds.	175 lbs./in. width	4.2	12

IPG 303 - Medium-Duty Filament Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T912303	¾" x 60 yds	130 lbs./in. width	4.2	96
T91230312PK	¾" x 60 yds	130 lbs./in. width	4.2	12
T913303	½" x 60 yds	130 lbs./in. width	4.2	72
T91330312PK	½" x 60 yds	130 lbs./in. width	4.2	12
T914303	¾" x 60 yds.	130 lbs./in. width	4.2	48
T91430312PK	¾" x 60 yds.	130 lbs./in. width	4.2	12
T915303	1" x 60 yds.	130 lbs./in. width	4.2	36
T91530312PK	1" x 60 yds.	130 lbs./in. width	4.2	12
T917303	2" x 60 yds.	130 lbs./in. width	4.2	24
T91730312PK	2" x 60 yds.	130 lbs./in. width	4.2	12

IPG 300 - Economy Filament Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T912300	¾" x 60 yds.	100 lbs./in. width	4.0	96
T91230012PK	¾" x 60 yds.	100 lbs./in. width	4.0	12
T913300	½" x 60 yds.	100 lbs./in. width	4.0	72
T91330012PK	½" x 60 yds.	100 lbs./in. width	4.0	12
T914300	¾" x 60 yds.	100 lbs./in. width	4.0	48
T91430012PK	¾" x 60 yds.	100 lbs./in. width	4.0	12
T915300	1" x 60 yds.	100 lbs./in. width	4.0	36
T91530012PK	1" x 60 yds.	100 lbs./in. width	4.0	12
T916300	1½" x 60 yds	100 lbs./in. width	4.0	24
T91630012PK	1½" x 60 yds	100 lbs./in. width	4.0	12
T917300	2" x 60 yds.	100 lbs./in. width	4.0	24
T91730012PK	2" x 60 yds.	100 lbs./in. width	4.0	12
T918300	3" x 60 yds	100 lbs./in. width	4.0	16
T91830012PK	3" x 60 yds	100 lbs./in. width	4.0	12



TDPL3M34



TDPL3M10



TDPL1



TDPL2



TDML1



TDML2

Filament Tape Dispensers

3M H133 Filament Tape Dispenser

- Easily applies "L" clips with one handed motion.

3M H12 Filament Tape Dispenser

- Features a hand brake that adds tension to the tape roll.

Industrial Filament Tape Dispensers

- Hand brake controls tape tension.
- Available in plastic or metal construction.

3M Filament Tape Dispensers

Stock Number	Description
TDPL3M34	¾" Plastic Dispenser
TDPL3M10	1" Plastic Dispenser

Industrial Filament Tape Dispensers

Stock Number	Description
TDPL1	1" Plastic Dispenser
TDPL2	2" Plastic Dispenser
TDML1	1" Metal Dispenser
TDML2	2" Metal Dispenser

3M Filament Tape

898 Scotch® High Performance Filament Tape

- Reinforced along its length with glass filaments provides high tensile strength.
- Transparent Scotchpro™ film backing provides excellent abrasion, moisture and scuff resistance.
- Features an aggressive adhesive specifically formulated to provide balanced performance.

893 Scotch® General Purpose Filament Tape


- Tough Scotchpro™ film backing protects filaments and adhesive to provide longer performance.
- Good handling characteristics save time through ease of dispensing and tape application.

897 Scotch® Medium Grade Filament Tape

- Good holding power with minimal use of tape.
- Features Scotchpro™ polypropylene backing and a synthetic rubber adhesive.

8934 Tartan™ Utility Filament Tape

- Holds with minimal rub-down.
- Suited for light-duty applications.
- Clear Scotchpro™ backing is scuff resistant.



898 Scotch® High Performance Filament Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T911898	¼" x 60 yds.	380 lbs./in. width	6.0	144
T912898	⅜" x 60 yds.	380 lbs./in. width	6.0	96
T913898	½" x 60 yds.	380 lbs./in. width	6.0	72
T914898	¾" x 60 yds.	380 lbs./in. width	6.0	48
T915898	1" x 60 yds.	380 lbs./in. width	6.0	36
T917898	2" x 60 yds.	380 lbs./in. width	6.0	24
T918898	3" x 60 yds.	380 lbs./in. width	6.0	12

897 Scotch® Medium Grade Filament Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T912897	⅜" x 60 yds.	170 lbs./in. width	6.0	96
T913897	½" x 60 yds.	170 lbs./in. width	6.0	72
T914897	¾" x 60 yds.	170 lbs./in. width	6.0	48
T915897	1" x 60 yds.	170 lbs./in. width	6.0	36
T917897	2" x 60 yds.	170 lbs./in. width	6.0	24

893 Scotch® General Purpose Filament Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T912893	⅜" x 60 yds.	300 lbs./in. width	6.0	96
T913893	½" x 60 yds.	300 lbs./in. width	6.0	72
T914893	¾" x 60 yds.	300 lbs./in. width	6.0	48
T915893	1" x 60 yds.	300 lbs./in. width	6.0	36
T917893	2" x 60 yds.	300 lbs./in. width	6.0	24

8934 Tartan™ Utility Grade Filament Tape


Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9128934	⅜" x 60 yds.	100 lbs./in. width	4.0	96
T9138934	½" x 60 yds.	100 lbs./in. width	4.0	72
T9148934	¾" x 60 yds.	100 lbs./in. width	4.0	48
T9158934	1" x 60 yds.	100 lbs./in. width	4.0	36
T9178934	2" x 60 yds.	100 lbs./in. width	4.0	24

3M Bi-Directional Filament Tape

- Continuous glass yarn filament reinforcing results in very high tensile strength.
- Backing provides excellent abrasion, moisture and scuff resistance.
- Aggressive adhesive provides balanced performance.

8959 Scotch® Bi-Directional Filament Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9148959	¾" x 60 yds.	150 lbs./in. width	5.7	48
T9158959	1" x 60 yds.	150 lbs./in. width	5.7	36
T9178959	2" x 60 yds.	150 lbs./in. width	5.7	18





TD3MH180



TD3MH183

3M Pistol Grip Tape Dispensers

H-180 & H-183

- Roll-on, pistol grip dispenser for easy center seam closure of cases.
- Built in adjustable brake for tight, consistent seal.
- Easy to load.
- Metal and high-impact plastic construction for durable, long-life performance.

3M Pistol Grip Dispensers

Stock Number	3M Part Number	Description
TD3MH180	H-180	2" Pistol Grip Dispenser
TD3MH183	H-183	3" Pistol Grip Dispenser



TD3MH190

3M Ergonomic Tape Dispenser

H-190

- Pistol grip dispenser ergonomically designed for user comfort.
- Unique pull-apart handle for easy tape loading.
- High-impact plastic construction for durable, long-life performance.

3M Ergonomic Dispenser

Stock Number	3M Part Number	Description
TD3MH190	H-190	2" Ergonomic Dispenser



TD3MH122



TD3MH192

3M Hand Held Plastic Tape Dispensers

H-122

- Compact dispenser with built-in hand brake for tighter, more precise seals.

H-192


- Combines features of popular roll-on and hand-held dispensers for easy, one-hand application.

3M Hand Held Plastic Dispensers

Stock Number	3M Part Number	Description
TD3MH122	H-122	2" Hand Held Plastic Dispenser
TD3MH192	H-192	2" Deluxe Plastic Dispenser



TD3MH128



TD3MH123

3M Hand Held Metal Tape Dispensers

H-128 & H-123

- Compact hand held dispenser.
- Sturdy metal construction for durable, long-life performance.

3M Hand Held Metal Dispensers

Stock Number	3M Part Number	Description
TD3MH128	H-128	2" Hand Held Metal Dispenser
TD3MH123	H-123	3" Hand Held Metal Dispenser

Intertape Premium Natural Rubber Carton Sealing Tape

Provides the most consistent reliable box closure and the "most aggressive" adhesive of any pressure sensitive tape.

- Natural Rubber quickly penetrates and grips corrugated saving "rub down" time.
- Moisture resistant tape tolerates humid and damp conditions.
- Natural Rubber Tape has the largest application temperature range 0° - 150° F.
- The best and only Natural Rubber Carton Sealing Tape manufactured in the U.S.A.!



IPG 570 - 1.7 Mil Natural Rubber Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901570	2" x 55 yds.	Clear	1.7	36	60
T901570T	2" x 55 yds.	Tan	1.7	36	60
T902570	2" x 110 yds.	Clear	1.7	36	45
T902570T	2" x 110 yds.	Tan	1.7	36	45

IPG 500 - 2.0 Mil Natural Rubber Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901500	2" x 55 yds.	Clear	2.0	36	60
T901500T	2" x 55 yds.	Tan	2.0	36	60
T902500	2" x 110 yds.	Clear	2.0	36	45
T902500T	2" x 110 yds.	Tan	2.0	36	45

IPG 530PVC - 2.2 Mil Natural Rubber Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901530	2" x 55 yds.	Clear	2.2	36	60
T901530T	2" x 55 yds.	Tan	2.2	36	60
T902530	2" x 110 yds.	Clear	2.2	36	45
T902530T	2" x 110 yds.	Tan	2.2	36	45
T902530W	2" x 110 yds.	White	2.2	36	45
T905530	3" x 110 yds.	Clear	2.2	24	45
T905530T	3" x 110 yds.	Tan	2.2	24	45

IPG 510 - 2.5 Mil Natural Rubber Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901510	2" x 55 yds.	Clear	2.5	36	60
T902510	2" x 110 yds.	Clear	2.5	36	45

IPG 520 - 2.9 Mil Natural Rubber Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901520	2" x 55 yds.	Clear	2.9	36	45
T902520	2" x 110 yds.	Clear	2.9	36	45

Seal Safe® Tape Dispensers

Premium retractable blade dispensers.

- Patented retractable cutting blade action.
- Blade moves forward to cut tape and retracts back.
- Adjustable tension control.



Seal Safe® Dispensers

Stock Number	Description
TDSS2	2" Seal Safe®
TDSS3	3" Seal Safe®

Heavy-Duty Tape Dispensers

Sturdy steel and high impact plastic construction.

- Adjustable tension control.
- Heat treated cutting blades.



Heavy-Duty Tape Dispensers

Stock Number	Description
TDHD2	2" Heavy-Duty
TDHD3	3" Heavy-Duty
TDHD4	4" Heavy-Duty

Comfort Grip Tape Dispensers

Cushioned foam grip helps reduce operator fatigue and discomfort.

- Adjustable brake to control tension.
- Side loading.



Comfort Grip Tape Dispensers

Stock Number	Description
TDCG2	2" Comfort Grip
TDCG3	3" Comfort Grip

Industrial Tape Dispensers

Quick side loading dispensers.

- Adjustable brake to control tension.
- Smooth tape application.



Industrial Tape Dispensers

Stock Number	Description
TDSD2	2" Industrial
TDSD3	3" Industrial



Intertape General Purpose Carton Sealing Tape

Best for long term storage when shelf life is important.

- Retains clarity, will not yellow.
- Strong adhesive grips well to recycled corrugated.
- Consistent, smooth release.

IPG 170 - 1.7 Mil Acrylic Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901170	2" x 55 yds.	Clear	1.7	36	108
T901170T	2" x 55 yds.	Tan	1.7	36	108
T902170	2" x 110 yds.	Clear	1.7	36	90
T902170T	2" x 110 yds.	Tan	1.7	36	90
T905170	3" x 110 yds.	Clear	1.7	24	90
T903170	2" x 1,000 yds.	Clear	1.7	6	48
T910170	2" x 1,500 yds.	Clear	1.7	6	48

IPG 400 - 2.1 Mil Acrylic Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901400	2" x 55 yds.	Clear	2.1	36	108
T901400T	2" x 55 yds.	Tan	2.1	36	108
T902400	2" x 110 yds.	Clear	2.1	36	90
T902400T	2" x 110 yds.	Tan	2.1	36	90
T905400	3" x 110 yds.	Clear	2.1	24	90
T903400	2" x 1,000 yds.	Clear	2.1	6	48

IPG 291 - 2.5 Mil Acrylic Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901291	2" x 60 yds.	Clear	2.5	36	90
T905291	3" x 60 yds.	Clear	2.5	24	90



Intertape XTRAtape™ Carton Sealing Tape

Delivers twice the length of quality carton sealing tape in the same size roll as traditional length tape!

- Increase productivity with fewer roll changes.
- Use with unique 1½" core heavy-duty tape dispenser.

IPG XTRAtape™ Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T9022200	2" x 220 yds.	Clear	1.7	36	60
T9023300	2" x 220 yds.	Clear	2.0	36	60
TDHDX2	Heavy-Duty Tape Dispenser (1½" Core)				

Intertape "Whisper Smooth" Carton Sealing Tape

Easy unwind tape releases quietly when applied.

- Excellent clarity, will not discolor with age.

IPG 130 - "Whisper Smooth" Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T902130	2" x 110 yds.	Clear	1.9	36	90
T902130T	2" x 110 yds.	Tan	1.9	36	90
T905130	3" x 125 yds.	Clear	1.9	24	90
T905130T	3" x 125 yds.	Tan	1.9	24	90



3M General Purpose Carton Sealing Tape

302 Tartan™ Carton Sealing Tape

- Economy packaging tape adheres to a variety of surfaces.
- Edge tear and split resistant.

305 Tartan™ Carton Sealing Tape

- General purpose packaging tape.
- Ideal for cold and damp applications such as refrigerated storage.
- Designed for utility applications on light-weight boxes.
- Tape construction provides good closure.

311 Scotch® Carton Sealing Tape

- Industrial packaging tape.
- Good aging in sunlight or fluorescent lighting.
- Designed for utility type applications on light to medium-weight boxes.

313 Scotch® Carton Sealing Tape

- Adheres well to cartons containing various levels of recycled content.
- Features smooth dispensing for easy handling.
- Ideal for wide temperature fluctuating environments.



302 - 1.6 Mil Tartan™ Carton Sealing Tape **NEW!**

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T902302	2" x 110 yds.	Clear	1.6	36	48
T905302	3" x 110 yds.	Clear	1.6	24	48

305 - 1.8 Mil Tartan™ Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T902305	2" x 110 yds.	Clear	1.8	36	60
T905305	3" x 110 yds.	Clear	1.8	24	60
T903305 NEW!	2" x 1,000 yds.	Clear	1.8	6	48
T9033305 NEW!	3" x 1,000 yds.	Clear	1.8	4	48

311 - 2.0 Mil Scotch® Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T902311	2" x 110 yds.	Clear	2.0	36	60
T905311	3" x 110 yds.	Clear	2.0	24	60
T903311	2" x 1,000 yds.	Clear	2.0	6	48
T9033311	3" x 1,000 yds.	Clear	2.0	4	36
T910311	2" x 1,500 yds.	Clear	2.0	6	27

313 - 2.5 Mil Scotch® Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T902313	2" x 55 yds.	Clear	2.5	36	48
T905313	3" x 55 yds.	Clear	2.5	24	48
T906313 NEW!	2" x 110 yds.	Clear	2.5	36	48
T907313 NEW!	3" x 110 yds.	Clear	2.5	24	48
T903313	2" x 1,000 yds.	Clear	2.5	6	36
T9033313 NEW!	3" x 1,000 yds.	Clear	2.5	4	36

Colored Carton Sealing Tape

Color code shipments or products!

- For example: blue for "U.P.S. 2nd Day Air" or red for "hot" shipments.
- Pressure sensitive polypropylene tape with acrylic adhesive.
- In your choice of colors: green, red, orange, yellow, blue, white or black.



2.2 Mil Colored Acrylic Carton Sealing Tape

Stock Number	W x L	Mil	Rolls Per Case	Cases Per Skid
T90122*	2" x 55 yds.	2.2	36	60
T90222*	2" x 110 yds.	2.2	36	60

*Please specify green, red, orange, yellow, blue, white or black.





3M Security Message Carton Sealing Tape

Ideal when security of carton contents is a concern.

- Clear tape with red print makes it easy to identify tampering or pilferage.
- Red diagonal lines identify when a carton has been resealed.

3779 - Scotch® Security Message Tape

Stock Number	W x L	Description	Mil	Rolls Per Case
T9023779	2" x 110 yds.	"Check Seal Before Accepting"	1.9	36
T9053779	3" x 110 yds.	"Check Seal Before Accepting"	1.9	24

3M Printed Message Carton Sealing Tape

Use to clearly display shipping instructions.

- White tape with red printed message.
- Provides maximum attention to shipping directions and security.

3771 - Scotch® Printed Message Tape

Stock Number	W x L	Description	Mil	Rolls Per Case
T9023771	2" x 110 yds.	"If Seal is Broken Check Contents..."	1.9	36



Pre-Printed Carton Sealing Tape



Communicate handling instructions and seal cartons at the same time!

- Eliminates the need for labels.

Pre-Printed Carton Sealing Tape

Stock Number	W x L	Description	Mil	Rolls Per Case
T902P01	2" x 110 yds.	"Stop if Seal is Broken..."	2.0	36
T902P02	2" x 110 yds.	"Fragile Handle with Care"	2.0	36
T902P03	2" x 110 yds.	"Packing List Enclosed"	2.0	36
T902P04	2" x 110 yds.	"Caution if Seal is Broken..."	2.0	36
T902P15	2" x 110 yds.	"Made in U.S.A."	2.0	36
T902P06	2" x 110 yds.	"Caution Sealed Package"	2.0	36
T902P07	2" x 110 yds.	"Repack"	2.0	36
T902P08	2" x 110 yds.	"Do Not Break Stretch Wrap"	2.0	36
T902P09	2" x 110 yds.	"Keep Refrigerated!"	2.0	36
T902P10	2" x 110 yds.	"...Mixed Merchandise"	2.0	36
T902P11	2" x 110 yds.	"Do Not Drop"	2.0	36
T902P12	2" x 110 yds.	"Do Not Top Load"	2.0	36
T902P13	2" x 110 yds.	"Stop...Alto..."	2.0	36
T902P14	2" x 110 yds.	"Inspected"	2.0	36

<p>If Seal is broken or package damaged check contents before signing receipt</p> <p>T902P01</p>	<p>FRAGILE HANDLE WITH CARE</p> <p>T902P02</p>
<p>PACKING LIST ENCLOSED</p> <p>T902P03</p>	<p> CAUTION</p> <p>T902P04</p>
<p>MADE IN U.S.A. MADE IN U.S.A. </p> <p>T902P15</p>	<p>CAUTION: SEALED PACKAGE IF SEAL HAS BEEN TAMPERED WITH DO NOT GIVE CLEAR RECEIPT, OR EXAMINE CONTENTS IN PRESENCE OF EXPRESSMAN</p> <p>T902P06</p>
<p>REPACK</p> <p>T902P07</p>	<p>DO NOT BREAK STRETCH WRAP</p> <p>T902P08</p>
<p>KEEP REFRIGERATED!</p> <p>T902P09</p>	<p>THIS CARTON CONTAINS MIXED MERCHANDISE</p> <p>T902P10</p>
<p>DO NOT DROP</p> <p>T902P11</p>	<p>DO NOT TOP LOAD</p> <p>T902P12</p>
<p> If Seal is broken or package damaged check contents before signing receipt Si el sello este roto, el paquete dañado o abierto revise el contenido antes de firmar el recibo</p> <p>T902P13</p>	<p>INSPECTED</p> <p>T902P14</p>



Intertape Industrial Carton Sealing Tape

Super strong, pressure sensitive, polypropylene tape for economical, repetitive, volume packing.

- Hot melt adhesive provides a quiet release, easy unwind and extra elongation for help in sealing irregular shapes.
- Excellent performance on over-stuffed cartons.
- Adheres well to film.
- Application temperature range 45° - 110° F.
- Service temperature range 10° - 120° F.

IPG 6100 - 1.7 Mil Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T9016100	2" x 55 yds.	Clear	1.7	36	54
T90161006PK	2" x 55 yds.	Clear	1.7	6	-
T9016100T	2" x 55 yds.	Tan	1.7	36	54
T9026100	2" x 110 yds.	Clear	1.7	36	45
T90261006PK	2" x 110 yds.	Clear	1.7	6	-
T9026100T	2" x 110 yds.	Tan	1.7	36	45
T9056100	3" x 110 yds.	Clear	1.7	24	45
T9056100T	3" x 110 yds.	Tan	1.7	24	45
T9036100	2" x 1,000 yds.	Clear	1.7	6	24
T9036100T	2" x 1,000 yds.	Tan	1.7	6	24
T90336100	3" x 1,000 yds.	Clear	1.7	4	24
T9106100	2" x 1,500 yds.	Clear	1.7	6	24

IPG 7100 - 2.0 Mil Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T9017100	2" x 55 yds.	Clear	2.0	36	54
T90171006PK	2" x 55 yds.	Clear	2.0	6	-
T9017100T	2" x 55 yds.	Tan	2.0	36	54
T9027100	2" x 110 yds.	Clear	2.0	36	45
T90271006PK	2" x 110 yds.	Clear	2.0	6	-
T9027100T	2" x 110 yds.	Tan	2.0	36	45
T9057100	3" x 110 yds.	Clear	2.0	24	45
T9037100	2" x 1,000 yds.	Clear	2.0	6	24
T9037100T	2" x 1,000 yds.	Tan	2.0	6	24
T90337100	3" x 1,000 yds.	Clear	2.0	4	24
T9107100	2" x 1,500 yds.	Clear	2.0	6	24

Intertape Cold Temperature Carton Sealing Tape

6151QT General Purpose Cold Temperature Tape

- Offers secure holding power to cartons in cold and damp conditions.
- Complies with FDA Act, CFR Title 21, Subpart B, Par. 175, 105.

7151QT Production Grade Cold Temperature Tape

- Recommended in the dairy, meat and frozen food industries, where superior adhesion properties are required for long term storage.
- Complies with FDA Act, CFR Title 21, Subpart B, Par. 175, 105.v

IPG 6151QT - 1.7 Mil Cold Temperature Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T9026151QT	2" x 110 yds.	Clear	1.7	36	45
T9056151QT	3" x 110 yds.	Clear	1.7	24	45
T9036151QT	2" x 1,000 yds.	Clear	1.7	6	48

IPG 8100 - 2.2 Mil Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T9018100	2" x 55 yds.	Clear	2.2	36	54
T9028100	2" x 110 yds.	Clear	2.2	36	45
T9038100	2" x 1,000 yds.	Clear	2.2	6	24

IPG 9100 - 2.5 Mil Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T9019100	2" x 60 yds.	Clear	2.5	36	45
T90191006PK	2" x 60 yds.	Clear	2.5	6	-
T9019100T	2" x 60 yds.	Tan	2.5	36	45
T9059100	3" x 60 yds.	Clear	2.5	24	45
T9029100	2" x 110 yds.	Clear	2.5	36	45
T90291006PK	2" x 110 yds.	Clear	2.5	6	-
T9039100	2" x 1,000 yds.	Clear	2.5	6	24

IPG 1100 - 3.0 Mil Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T9011100	2" x 60 yds.	Clear	3.0	36	45
T90111006PK	2" x 60 yds.	Clear	3.0	6	-
T9051100	3" x 60 yds.	Clear	3.0	24	45
T9031100	2" x 1,000 yds.	Clear	3.0	6	24



IPG 7151QT - 1.95 Mil Cold Temperature Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T9027151QT	2" x 110 yds.	Clear	1.95	36	45
T9057151QT	3" x 110 yds.	Clear	1.95	24	45
T9037151QT	2" x 1,000 yds.	Clear	1.95	6	48



3M Industrial Carton Sealing Tape

369 Tartan™ Carton Sealing Tape

- General purpose tape ideal for light and medium-duty applications.
- Good holding power to fibreboard.
- Roll to roll consistency increases productivity for improved unit costs.

371 Scotch® Carton Sealing Tape

- Industrial grade tape is perfect for box sealing and splicing.
- Features a conformable backing and consistent adhesive system.
- Reliable performance in a range of environments and applications.

372 Scotch® Carton Sealing Tape

- High performance packaging tape for demanding packaging applications.
- Features hot melt rubber resin adhesive.
- Adheres instantly to most surfaces.

373 Scotch® Carton Sealing Tape

- High performance packaging tape with high edge tear and split resistance.
- Features a heavy-duty conformable backing and the most consistent adhesive system available.
- Adheres instantly to recycled fibreboard.

375 Scotch® Carton Sealing Tape

- Strong consistent adhesive system ensures superior performance.
- Scotchpro™ film backing is water resistant for added security.
- The problem solver for difficult packaging applications.

355 Scotch® Carton Sealing Tape

- Superior performance packaging tape.
- Features the strongest, most consistent adhesive system available.
- Polyester film backing is water resistant for added security.
- Reliable closures every time.

369 - 1.6 Mil Tartan™ Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901369	2" x 55 yds.	Clear	1.6	36	72
T902369	2" x 110 yds.	Clear	1.6	36	60
T902369T	2" x 110 yds.	Tan	1.6	36	60
T905369	3" x 110 yds.	Clear	1.6	24	60
T905369T	3" x 110 yds.	Tan	1.6	24	60
T903369	2" x 1,000 yds.	Clear	1.6	6	48
T903369T	3" x 1,000 yds.	Clear	1.6	4	48
T910369	2" x 1,500 yds.	Clear	1.6	6	27

371 - 2.0 Mil Scotch® Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901371	2" x 55 yds.	Clear	2.0	36	72
T901371T	2" x 55 yds.	Tan	2.0	36	72
T902371	2" x 110 yds.	Clear	2.0	36	60
T902371T	2" x 110 yds.	Tan	2.0	36	60
T905371	3" x 110 yds.	Clear	2.0	24	60
T903371	2" x 1,000 yds.	Clear	2.0	6	48
T903371T	3" x 1,000 yds.	Clear	2.0	4	27
T910371	2" x 1,500 yds.	Clear	2.0	6	27
T911371	3" x 1,500 yds.	Clear	2.0	4	27
T913371	2" x 2,000 yds.	Clear	2.0	4	24

372 - 2.3 Mil Scotch® Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901372	2" x 55 yds.	Clear	2.3	36	60
T901372T	2" x 55 yds.	Tan	2.3	36	60
T905372	3" x 55 yds.	Clear	2.3	24	60
T902372	2" x 110 yds.	Clear	2.3	36	60
T905372	3" x 110 yds.	Clear	2.3	24	48
T903372	2" x 1,000 yds.	Clear	2.3	6	36
T903372T	3" x 1,000 yds.	Clear	2.3	4	36
T910372	2" x 1,500 yds.	Clear	2.3	3	45

373 - 2.5 Mil Scotch® Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901373	2" x 55 yds.	Clear	2.5	36	60
T901373T	2" x 55 yds.	Tan	2.5	36	60
T905373	3" x 55 yds.	Clear	2.5	24	60
T905373T	3" x 55 yds.	Tan	2.5	24	60
T902373	2" x 110 yds.	Clear	2.5	24	48
T902373T	2" x 110 yds.	Tan	2.5	24	48
T9055373	3" x 110 yds.	Clear	2.5	24	48
T903373	2" x 1,000 yds.	Clear	2.5	6	36
T903373T	3" x 1,000 yds.	Clear	2.5	4	27
T903373T	3" x 1,000 yds.	Tan	2.5	4	27
T910373	2" x 1,500 yds.	Clear	2.5	3	36

375 - 3.0 Mil Scotch® Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901375	2" x 55 yds.	Clear	3.0	36	60
T901375T	2" x 55 yds.	Tan	3.0	36	60
T905375	3" x 55 yds.	Clear	3.0	24	60
T905375T	3" x 55 yds.	Tan	3.0	24	60
T903375	2" x 1,000 yds.	Clear	3.0	6	27
T903375T	3" x 1,000 yds.	Clear	3.0	4	27

355 - 3.5 Mil Scotch® Carton Sealing Tape

Stock Number	W x L	Color	Mil	Rolls Per Case	Cases Per Skid
T901355	2" x 55 yds.	Clear	3.5	36	60
T901355T	2" x 55 yds.	Tan	3.5	36	60
T905355	3" x 55 yds.	Clear	3.5	24	60
T905355T	3" x 55 yds.	Tan	3.5	24	60
T903355	2" x 1,000 yds.	Clear	3.5	4	45
T903355T	3" x 1,000 yds.	Clear	3.5	2	45