

Releasable Cable Ties

Use for items that are frequently modified.

- Simply press the tab to release.
- Ties are reusable.


Natural

Stock Number	Length	Width	Tensile Strength	Quantity Per Case
CTR55A	5½"	.295"	50 lb.	1,000
CTR85A	8"	.295"	50 lb.	1,000
CTR10A	10"	.295"	50 lb.	1,000

Black

Stock Number	Length	Width	Tensile Strength	Quantity Per Case
CTR55B	5½"	.295"	50 lb.	1,000
CTR85B	8"	.295"	50 lb.	1,000
CTR10B	10"	.295"	50 lb.	1,000

Identification Cable Ties




Textured tab for writing part numbers or data.

- Tie and identify bundles in one operation.
- Self locking seal.
- Tamper evident.
- Natural color tie.

Identification Cable Ties

Stock Number	Length	Width	Tensile Strength	Writing Area	Quantity Per Case
CTID45	4"	.295"	50 lb.	¾" x ¾"	1,000
CTID75	7"	.295"	50 lb.	1½" x ½"	1,000

Beaded Security Ties



Quickly tag parts without a gun.

- Simply thread through tie to desired size.
- Tamper evident.
- Available in natural, black or red.

Beaded Security Ties

Stock Number	Length	Color	Quantity Per Case
CTBS5A	5"	Natural	5,000
CTBS5B	5"	Red	5,000
CTBS5C	5"	Black	5,000

CTG702



CTG704



CTG706



CTG708



Cable Tie Guns

CTG702

- Light-weight, economical plastic gun.
- Cuts ties up to .19" wide - 18-50# tensile.

CTG704

- Industrial grade metal gun.
- Cuts ties up to .19" wide - 18-50# tensile.

CTG706

- Heavy-duty metal gun.
- Cuts ties up to .35" wide - 18-175# tensile.

CTG708

- Extra heavy-duty metal gun.
- Cuts ties up to .50" wide - 18-250# tensile.

Cable Tie Guns

Stock Number	Description
CTG702	Economy - Plastic
CTG704	Economy - Metal
CTG706	Heavy-Duty - Metal
CTG708	Extra Heavy-Duty - Metal

Nylon Cable Ties

Permanently secure cords, cables, bags etc.

- Tamper Proof - Designed to lock tight. Will not slide or stretch.

Natural

- General purpose ties.

Heavy-Duty Natural

- Jumbo ties for demanding applications.

Black UV Stabilized

- For indoor or outdoor use.

Colors

- Use to color code items.

Natural

Stock Number	Length	Width	Tensile Strength	Quantity Per Case
CT318	3"	.09"	18 lb.	1,000
CT418	4"	.10"	18 lb.	1,000
CT518	5½"	.10"	18 lb.	1,000
CT818	8"	.10"	18 lb.	1,000
CT440	4"	.14"	40 lb.	1,000
CT540	5½"	.14"	40 lb.	1,000
CT640	6"	.14"	40 lb.	1,000
CT740	7"	.14"	40 lb.	1,000
CT840	8"	.14"	40 lb.	1,000
CT940	9"	.14"	40 lb.	1,000
CT1040	10"	.14"	40 lb.	1,000
CT1140	11"	.14"	40 lb.	1,000
CT1340	13"	.14"	40 lb.	1,000
CT850	8"	.19"	50 lb.	1,000
CT1150	11"	.19"	50 lb.	1,000
CT1250	12"	.19"	50 lb.	1,000
CT1450	14"	.19"	50 lb.	1,000
CT1550	15"	.19"	50 lb.	1,000
CT1750	17"	.19"	50 lb.	1,000
CT8120	8"	.30"	120 lb.	100
CT11120	11"	.30"	120 lb.	100
CT14120	14"	.30"	120 lb.	100
CT24120	24"	.30"	120 lb.	100

Heavy-Duty Natural

Stock Number	Length	Width	Tensile Strength	Quantity Per Case
CT21175	21"	.35"	175 lb.	100
CT24175	24"	.35"	175 lb.	100
CT48175	48"	.35"	175 lb.	50
CT18250	18"	.50"	250 lb.	100
CT24250	24"	.50"	250 lb.	100
CT36250	36"	.50"	250 lb.	100


Black UV Stabilized

Stock Number	Length	Width	Tensile Strength	Quantity Per Case
CTUV418	4"	.10"	18 lb.	1,000
CTUV518	5½"	.10"	18 lb.	1,000
CTUV540	5½"	.14"	40 lb.	1,000
CTUV640	6"	.14"	40 lb.	1,000
CTUV740	7"	.14"	40 lb.	1,000
CTUV840	8"	.14"	40 lb.	1,000
CTUV1150	11"	.19"	50 lb.	1,000
CTUV1450	14"	.19"	50 lb.	1,000
CTUV14120	14"	.30"	120 lb.	100
CTUV36175	36"	.35"	175 lb.	100
CTUV40250	40"	.50"	250 lb.	100

Colors

Stock Number	Length	Width	Tensile Strength	Quantity Per Case
CT422*	4"	.10"	18 lb.	1,000
CT433*	5½"	.14"	40 lb.	1,000
CT444*	8"	.14"	40 lb.	1,000
CT115*	11"	.19"	50 lb.	1,000
CT145*	14"	.19"	50 lb.	1,000

*Choose from Green, Blue, Yellow or Red.



Dual Lock™ Fasteners

Advanced closure alternative to zippers, screws, snaps, bolts and more. Better than conventional closure methods because they offer greater design flexibility, faster product assembly, smoother and cleaner exterior surfaces and improved product performance in many applications.

- Constructed with a type 400 stem pattern to form a secure fastening attachment.
- Hundreds of closures with great holding power.

Dual Lock™ Fasteners

- Fasteners engage in any orientation eliminating concerns about misalignment, premature or incomplete engagement.
- Fastens with an audible snap to assure secure closure.

Dual Lock™ Fasteners Mini Packs

- Same great Dual-Lock™ Fastener in a convenient dispenser pack!
- Great for small volume requirements.



Dual Lock™ Fasteners

Stock Number	Roll Size	Stems Per Inch ²	3M Part Number	Roll Color	Rolls Per Case
DK3M111	1" x 150'	170	3542	Black	2
DK3M112	1" x 150'	170	3562	Clear	2
DK3M113	2" x 150'	170	3542	Black	1
DK3M114	2" x 150'	170	3562	Clear	1
DK3M115	1" x 150'	250	3540	Black	2
DK3M117	2" x 150'	250	3540	Black	1
DK3M119	1" x 150'	400	3551	Black	2
DK3M120	2" x 150'	400	3551	Black	1

Dual Lock™ Fasteners Mini Packs

Stock Number	Roll Size	Stems Per Inch ²	3M Part Number	Roll Color	Rolls Per Case
DK3M101	1" x 4.9 yds.	170	MP3551	Black	5
DK3M110	1" x 4.9 yds.	250	MP3560	Clear	5
DK3M101PK	1" x 4.9 yds.	170	MP3551	Black	1
DK3M110PK	1" x 4.9 yds.	250	MP3560	Clear	1

Sisal Tying Twine



Natural fibers grip firm.

- Great knot strength.
- Recommended for industrial applications.
- Naturally biodegradable.
- Great for balling and bagging nursery stock.

Sisal Tying Twine

Stock Number	Tensile Strength	Feet Per Case
TWS300	190 lbs.	3,000'
TWS146	360 lbs.	1,460'

Polypropylene Tying Twine



Soft Polypropylene Tying Twine is easy to use.

- Knots easily and tightly.
- Mildew, rot and moisture resistant.
- Twine dispenses directly from carton.

Polypropylene Tying Twine

Stock Number	Tensile Strength	Feet Per Case
TWT1050	110 lbs.	10,500'
TWT850	145 lbs.	8,500'
TWT550	210 lbs.	5,500'

Rubber Bands

Use to bundle, seal and attach.

- Economical bands are reusable.
- Superior stretch makes makes banding a wide range of items convenient.
- Packaged in one pound plastic bags.

Rubber Bands

Stock Number	Size (L x W)	Band Number	Approx. Qty. Per Bag	Bags Per Case
BAN416	3½" x ¼"	#19	1,250	10
BAN415	3" x ⅛"	#32	700	10
BAN417	3½" x ⅛"	#64	320	10

